



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Fats and Oils	Acid value and free fatty acid	FB-CHO-AL-004 based on AOAC International, <b>2019</b>	1,2
Chemical	Fats and Oils	Specific Extinction	FB-CHO-AA-024 by UV/Vis Spectrophotometry	2
Chemical	Food and food products except meat and oil	Ascorbic acid (Vitamin C)	FB-CHO-AA-005 by HPLC	2
Chemical	Food and Beverages	Alcohol	FB-CHO-AA-028 by GC-FID	2
Chemical	Food and Food products	pH	FB-CHO-AA-020	2
Chemical	Food and food products except meat and oil	Sweeteners & Preservatives: Acesulfame K Benzoic acid Caffeine Potassium Sorbate Saccharin Sodium benzoate Sorbic acid Aspartame	FB-CHO-AA-004 by HPLC	2
Chemical	Tea , Feed , Food and Food products	Moisture and Volatile Matter	FB-CHO-AL-003 by Halogen Moisture Analyser	2
Chemical	Honey	Acidity	FB-CHO-AA-017 by titrimetry	2
Chemical	Honey	Electrical conductivity	FB-CHO-AA-022 by conductivity probe	2
Chemical	Honey	Moisture	FB-CHO-AA-012 by Digital Refractometer	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Milk/milk powder Cream Fermented products	Fat Lactose Protein Total solids and solids non-fat (SNF)	FB-CHO-AL-001 by Mid Infra-Red Spectroscopy by Milkoscan FT120	2
Chemical	Nuts, Grains & Feeds	Total aflatoxin	FB-CHR-AA-005 by VICAM Fluorometer	2
Chemical	Dates and Honey	Pesticide multi-residue screen	FB-CHR-AA-004 by dispersive B SPE, QuEChERS method using GC-MS	2
Chemical	Foods and food products, Milk powder, Date seed, Animal Feeds	Nitrogen and crude protein	FB-CHO-AA-007 by automated Kjeldahl determination	2
Chemical	Foods and food products	Trace Elements :- Arsenic, Cadmium, Copper, Iron, Lead, Zinc, Tin, Calcium, Magnesium Sodium, Phosphorus, Potassium, Mercury, Palladium. Mercury	FB-CHI-AA-014 by closed vessel microwave acid digestion (FB-CHIAA-011) followed by Inductively Coupled Plasma Mass Spectrometry (ICP-MS)	2
Chemical	Foods and food products, animal feed	Crude Fibre	FB-CHO-AA-015 by Fibretech system	2
Chemical	Foods and food products, tea and animal feed	Moisture and volatile matter	FB-CHO-AA-006 by oven drying	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Drinking water/ Water	Drinking Water/Water-Dissolved Elements- Aluminum, Antimony, Arsenic, Barium, Boron, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Sodium, Zinc, Phosphorus.	FB-CHI-AA-014 by ICP-MS	2
Chemical	Drinking water	Ammonium	FB-CHW-AA-004 by spectrophotometer	2
Chemical	Waters	Total Hardness and Calcium Hardness as CaCO3	FB-CHW-AA-003 by titration	2
Chemical	Water	Total Organic Carbon	FB-CHW-AA-009 using SHIMAZDU TOC-L Total Organic Carbon Analyzer	2
Chemical	Waters	Conductivity and Total Dissolved Solids	FB-CHW-AL-002 by conductivity meter	2
Chemical	Drinking water	Disinfection byproducts: (Chlorite ClO <sub>2</sub> , Chlorate ClO <sub>3</sub> and Bromate BrO <sub>3</sub> ) and Anions: Bromide Br, Chloride Cl, Fluoride F, Nitrite NO <sub>2</sub> , Nitrate NO <sub>3</sub> , Sulphate SO <sub>4</sub>	FB-CHW-AA-006 ion chromatography	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Water	Volatile Organic Compounds- Chloroethene, Methylene chloride, 1,2-Dichloroethene, Chloroform, 1,2-Dichloroethane, Tetrachloromethane, Benzene, Trichloroethene, Bromodichloromethane, Toluene, Dibromochloromethane, Tetrachloroethene, Chlorobenzene, Bromoform, 1,4-Dichlorobenzene 1,2-Dichlorobenzene	FB-CHW-AL-004 by Purge & Trap GC-MS	2
Chemical	FATS and OILS	Rancidity (Kreis Test)	FB-CHO-AD-026 based on Pearson's composition and analysis of foods, 9th Edition 1991	1
Chemical	Crude and refined animal and vegetable fats and oils	Iodine value	FB-CHO-AD-025 by Titrimetry	1
Chemical	Tea, Beverages, Fruit Juices and Drinks	Acesulfame K Aspartame Benzoic acid and salts Caffeine Saccharin Sorbic acid and salts Theobromine	FB-CHO-AD-004 by High Performance Liquid Chromatography (HPLC)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Fruit Juices, soft drinks and baby food	Ascorbic Acid (Vitamin C)	FB-CHO-AD-008 by HPLC	1
Chemical	Coffee (green)	Ochratoxin A	FB-CHR-AD-003 by Fluorimetry	1
Chemical	Tea	Water extractable matter	FB-CHO-AD-028 by gravimetric method	1
Chemical	Honey	Diastase activity	FB-CHO-AD-029 by UV/Vis Spectrophotometer	1
Chemical	Honey	Sugars (%C4 base on <sup>12</sup> C/ <sup>13</sup> C isotope ratio)	FB-CHR-AD-006 based on AOAC 998.12 by EA-IRMS	1
Chemical	Food and Beverages	Dextrose Fructose Maltose Lactose Sucrose	FB-CHO-AD-015 by HPLC	1
Chemical	Fish and fish products	Histamine	FB-CHR-AD-008 by HPLC-PAD	1
Chemical	Meat and Vegetable products	Determination of Nitrate and Nitrite	FB-CHI-AD-006 by ion chromatography by with UV-VIS detection	1
Chemical	Milk and Milk powder	Aflatoxin M1	FB-CHR-AD-009 by HPLC fluorescence	1
Chemical	Milk and Dairy Products	Ash	FB-CHO-AD-022 by ignition at 550 °C	1
Chemical	Milk & Dairy Products	Total Solids	FB-CHO-AD-021 by loss of volatile material at 102 °C	1
Chemical	Grains & Feeds	Total aflatoxin	FB-CHR-AD-002 by VICAM Fluorometer	1
Chemical	Foods & food products, Milk and Dairy Products	Titrateable Acidity	FB-CHO-AD-034 by titration method	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Foods and food products /animal feeds	Ash	FB-CHO-AD-023 by ignition at 550°C	1
Chemical	Food & Animal Feeds	Crude Fibre	FB-CHO-AD-035 by Fibertherm system	1
Chemical	Food & Food products	Aluminium, Antimony Arsenic, Barium, Beryllium Cadmium. Calcium Chromium, Cobalt Copper, Iron Lead, Magnesium Manganese, Mercury Molybdenum, Nickel Phosphorus, Potassium Selenium, Silver Sodium, Thallium Thorium, Uranium Vanadium, Zinc	FB-CHI-AD004 by closed vessel microwave digestion, FB-CHI-AD-001 by ICP-MS	1
Chemical	Drinking water	Determination of inorganic ions: Bromide Br, Bromate BrO3, Chloride Cl, Chlorate ClO3, Chlorite ClO2, Fluoride F, Nitrite NO2, Nitrate NO3, Phosphate PO4 Sulphate SO4	FB-CHI-AD-005 ion chromatography	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Drinking water	VOCs as listed below: Chloroethene (Vinyl Chloride), Methylene chloride(Dichloromethane), 1,2-Dichloroethene, Chloroform, 1,2-Dichloroethane, Tetrachloromethane, Benzene, Trichloroethene, Bromodichloromethane, Toluene, Dibromochloromethane, Tetrachloroethene, Chlorobenzene, Bromoform, 1,4-Dichlorobenzene 1,2-Dichlorobenzene	FB-CHW-AL-004 by Purge & Trap GC-MS	1, 2
Chemical	Cosmetics products: Creams only	Hydroquinone	CS-AD-001 by HPLC	1
Chemical	Cosmetics products: Liquids only	Hydrogen Peroxide	CS-AD-002 by titration	1
Chemical	Liquids and Creams	pH	CS-AD-003 by pH meter	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Cosmetic products	Allergens: Alpha hexylcinnamaldehyde Alpha amylcinnamaldehyde Anisyl alcohol Benzyl alcohol Benzyl benzoate Benzyl cinnamate Benzyl salicylate Cinnamaldehyde (Cinnamal) Cinnamyl alcohol Citral (E citral) Citral (Z citral) Citronellol Coumarin Eugenol Farnesol 1 (A) Farnesol 2 (B) Isoeugenol Linalool Limonene Methyl-2-octynoate	CS-AD-009 by GC-MS	1
Chemical	Liquids, Creams and Solids	Trace Elements: Arsenic Cadmium Chromium Copper Cobalt Lead Mercury Nickel Titanium Zinc	CS-AD-005 by ICP-OES	1





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Fats and Oils	Peroxide Value	FB-CHO-AL-007 by titration based on AOAC International, 18th Edition 2005	1, 2
Chemical	Fats and Oils	Saponification Value	FB-CHO-AL-005 by titration	1, 2
Chemical	Food and Food products (excluding oils and fats)	Artificial Food Colours: Allura Red (E129), Amaranth (E123), Black PN (E151), Brown FK (E154), Brilliant Blue FCF (E133), Carmosine A (E122), Chocolate Brown HT(E155,) Erythrosine B (E127), Green S (E142), Indigo carmine (E132), Patent blue V (E131), Ponceau 4R (E124), Quinoline Yellow (E104), Red 2G (E128), Sunset Yellow FCF (E110), Tartrazine (E102), Yellow 2G (E107)	FB-CHO-AA-002 Identification of artificial color	2
Chemical	Artificial Food Colour excluding oils and fats)	Artificial Food Colours: Allura Red (E129), Amaranth (E123), Black PN (E151), Brown FK (E154), Brilliant Blue FCF (E133), Carmosine A (E122), Chocolate Brown HT(E155,) Erythrosine B (E127),	FB-CHO-AA-003: Extraction of artificial colors	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Green S (E142), Indigo carmine (E132), Patent blue V (E131), Ponceau 4R (E124), Quinoline Yellow (E104), Red 2G (E128), Sunset Yellow FCF (E110), Tartrazine (E102), Yellow 2G (E107)		
Chemical	Food and Beverages	Fructose, Glucose, Sucrose, Lactose, Maltose	FB-CHO-AA-023 by HPLC	2
Chemical	Fruit and vegetable products	Total solids	FB-CHO-AA-014 by refractive index	2
Chemical	Fruit and vegetable products	Total soluble solids- TSS	FB-CHO-AA-019 by refractive index	2
Chemical	Milk and Dairy Products	Fat	FB-CHO-AD-033 by Gerber method	1
Chemical	Food and Food Products	% Salt (as Sodium chloride)	FB-CHO-AA-009 by Mohr Method	2
Chemical	Food and Feed, Fruits, Vegetables: - 1.High water content  2. High acid content & high-water content		FB-CHR-AA-003 Multi residue method for determination of pesticide residues in Food & Feed using QuEChERS-method	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
	3. High starch and/or protein content and low water and fat content	Pesticide multi-residue screen (E)-Chlorfenvinphos (E)-Fenpyroximate (Z)-Chlorfenvinphos 2,3,5,6-Tetrachloroaniline 2,4-Methoxychlor 2,4,5-T 2,4-DP (Dichlorprop) 2,6-Dichlorobenzonitrile (Dichlobenil) 2-Methyl-4,6-dinitrophenol 2-naphthoxyacetic acid 2-Phenylphenol 3,4-Dichloroaniline 4,4-Dichlorobenzophenone 4,4-methoxychlor olefin Abamectin Acephate Acetamiprid Acifluorfen Acocyclotin Cyhexatin Acrinathrin		



# Accreditation Scope

Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Alachlor Aldicarb Aldicarb-sulfone (Aldoxycarb) Aldrin Allethrin-3,4 (Bioallethrin)  alpha-BHC alpha-Endosulfan Ametoctradin Ametryn Aminocyclopyrachlor Amitrole Anthraquinone Aramite Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxystrobin Baygon/Propoxur Benalaxyl Bendiocarb Benfluralin Benfuracarb		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bensulide Bentazone Benzovindiflupyr Benzoximate beta-BHC beta-Endosulfan Bifenazate Bifenthrin Binapacryl Bioallethrin Bioresmethrin Biphenyl Bitertanol Boscalid Brodifacoum Bromacil Bromadiolone Bromfenvinfos-methyl Bromfenvinphos Bromophos Bromophos-ethyl Bromopropylate Bromoxynil (Brominal)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bromuconazol I Bromuconazol II Bupirimate Buprofezin Butralin Butylate Cadusafos Captafol Captan Carbaryl (NAC) Carbendazim Benomyl Carbofuran Carbophenothion Carbosulfan Carfentrazone-ethyl Chinomethionat (Oxythioquinox) Chlorantraniliprole Chlorbenside Chlorbufam Chlordecone (Kepone) Chlordimeform Chlorfenapyr		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Chlorfenson (Ovex) Chloridazon (Pyrazon) Chlormephos Chlormequat Chlorobenzilate Chloroneb Chloropropylate Chloroxuron Chlorpropham Chlorpyrifos Chlorpyrifos-methyl Chlorthiophos-1 Chlorthiophos-2 Chlorthiophos-3 Chlozolate cis-Chlordane cis-Nonachlor cis-Permethrine Clethodim Clofentezine Clomazone Clothianidin Coumafuryl (Fumarin)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Coumaphos Coumatetrallyl Crimidine Crufomate Cyanazine Cyanofenphos Cyantriliprole Cyazofamid Cycloate Cycloheximide Cycloxydim Cycluron Cyflufenamid Cyflumetofen Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin-3 Cyfluthrin-4 Cymoxanil Cypermethrin-1 Cypermethrin-2 Cypermethrin-3 Cypermethrin-4		





# Accreditation Scope

Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cyphenothrin Cyproconazole I Cyproconazole II Cyprodinil Cyromazine DCPA methyl ester (Chlorthal-dimethyl) delta-BHC Deltamethrin-1 (Tralomethrin deg. 1) Deltamethrin-2 (Tralomethrin deg.-2) Demeton I Demeton II Demeton-S-methyl Diafenthuron Di-allate-1 Di-allate-2 Diazinon Dicamba Dichlofenthion Dichlofluanid Dichlorvos Diclofop		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Diclofop-methyl Dicloran Dicofol deg. (DCBP) Dicrotophos Dieldrin Difenacoum Difenoconazole Diflubenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid Dimethenamid-P Dimethipin Dimethoate Dimethomorph E Dimethomorph Z Diniconazole Dinitramine Dinobuton Dinocap Dinoseb Dinotefuran		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dinoterb Dioxathion Diphenamid Diphenylamine Disulfoton Ditalimfos Dithiopyr Dodemorph Dodine Edifenphos Emamectin B1a Emamectin B1b Endosulfan ether Endosulfan sulfate Endrin Endrin aldehyde Endrin ketone EPN Epoconazole Epsilon-BHC Esfenvalerate Esprocarb Ethalfuralin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Ethidimuron Ethiofencarb Ethion Ethofumesate Ethoprophos (Ethoprop) Ethoxyquin Ethylan (Perthane) / 1,1-Dichloro-2,2-bis(4-ethylphenyl)ethane Etofenprox Etoxazole Etridiazole Etrimfos Famoxadone Fenamidone Fenamiphos Fenarimol Fenazaquin Fenbuconazole Fenbutatin oxide Fenchlorphos (Ronnel) Fenfuram Fenhexamid Fenitrothion		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenobucarb (Baycarb) Fenothiocarb Fenoxycarb Fenpropathrin Fenpropimorph Fenson Fensulfothion Fenthion Fenuron Fenvalerate-1 Fenvalerate-2 Esfenvalerate Fipronil Flamprop-methyl Flocoumafen Flonicamid Fluazifop-P-butyl Fluazifop-butyl Flubendiamide Fluchloralin Flucythrinate-1 Flucythrinate-2 Fludioxonil		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fluensulfone Flufenacet Flufenoxuron Flumioxazin Fluometuron Fluopicolide Fluopyram Fluquinconazole Fluridone Flurprimidol Flusilazole Flutolanil Flutriafol Fluxapyroxad Folpet Fonofos Formothion Furalaxyl Furathiocarb gamma-BHC (Lindane) gamma-Cyhalothrin Haloxyfop Haloxyfop-2-ethoxyethyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Haloxyfop-methyl Heptachlor Heptachlor-exo-epoxide Heptenophos Hexachlorobenzene Hexaconazole Hexazinone (Velpar) Hexythiazox Imazalil Imazapyr Imicyafos Imidacloprid Indoxacarb Iodofenphos Iprodione Isazofos Isobenzan (Telodrin) Isodrin Isofenphos-methyl Isoproalin Isopyrazam Isoxaflutole Isoxathion		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Karmex/Diuron Kelevan Kresoxim-methyl lambda-Cyhalothrin Lenacil Leptophos Linuron Lufenuron Malaaxon Malathion Mandipropamid MCPA MCPA-thioethyl Mecarbam Mecoprop (MCP) Mecoprop-P Mephosfolan Meptyldinocap Mesotrione Metaflumizone E Metaflumizone Z Metalaxyl (Mefenoxam) Metazachlor		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Methacrifos Methamidophos (Monitor) Methidathion Methiocarb Methomyl Methoprene Methoxychlor Methoxyfenozide Metolachlor (S-Metolachlor) Metoxuron Metrafenone Mevinphos-1 Mevinphos-2 MGK 264-1 MGK 264-2 Mirex Monocrotophos Monolinuron Monuron TCA Myclobutanil N-(2,4-dimethylphenyl) forman Niclosamide Nicotine		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Nitralin Nitrofen Norflurazon Novaluron o,p-DDD o,p-DDE o,p-DDT Omethoate Oxadiazon Oxadixyl Oxamyl Oxydemeton-methyl Oxyfluorfen p,p-DDD p,p-DDE p,p-DDT Paclobutrazol Paraoxon-methyl Parathion Parathion-methyl Pebulate Penconazole Pendimethalin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pentachloroaniline Pentachloroanisole Pentachlorobenzene Pentachlorobenzonitrile Pentachloronitrobenzene (Quintozene) Pentachlorothioanisole Penthiopyrad Phenothrin-1 Phenothrin-2 Phenthoate Phorate Phosalone Phosfolan Phosmet Phosphamidon I Phosphamidon II Picoxystrobin Piperonyl butoxide Pirimicarb Pirimiphos ethyl Pirimiphos-methyl Pretilachlor		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Prochloraz Procymidone Prodiamine Profenofos Profluralin Prometon Prometryn Propachlor Propamocarb (Sum of propamocarb and its salts) Propanil Propargite Propetamphos Propham Propisochlor Propyzamide Prothiofos Pymetrozine Pyraclofos Pyraclostrobin Pyrazophos Pyrethrin I Pyrethrin II		



# Accreditation Scope

Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pyridaben Pyridaphenthion Pyrimethanil Pyrimidifen Pyriproxyfen Quinalphos Quinclorac Quinoxifen Resmethrin-1 Resmethrin-2 (Bioresmethrin) Rotenone Saflufenacil Schradan Sedaxane I Sedaxane II Siduron I Siduron II Silvex (2,4,5-TP) Spinetoram J Spinetoram L Spinosyn A Spinosyn D Spirodiclofen		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Spirotetramat Strychnine Sulfamethazine Sulfaquinoxaline Sulfotep Sulfoxaflor I Sulfoxaflor II Sulprofos tau-Fluvalinate-1 tau-Fluvalinate-2 Tebuconazole Tebufenozide Tebufenpyrad Tebupirimfos Tecnazene Teflubenzuron Tefluthrin Temephos (Abate) Terbacil Terbufos Terbutylazine Terbutryne (Prebane) Tetrachlorvinphos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Tetraconazole Tetradifon Tetraethylpyrophosphate (TEP) Tetramethrin-1 Tetramethrin-2 Tetrasul Thiabendazole Thiacloprid Thiamethoxam Thiocyclam hydrogenoxalate Thiodicarb Thionazin Thiophanate-methyl THPI (Tetrahydrophthalimide) Tilt/Propiconazole Tolclofos-methyl Tolfenpyrad Tolyfluanid trans-Chlordane Transfluthrin trans-Nonachlor trans-Permethrine Triadimefon		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Triadimenol-1 Triadimenol-2 Tri-allate Triazophos Trichlorfon Triclopyr Tricyclazole Tridemorph Trifloxystrobin Triflumizole Trifluralin Triforine Trinexapac-ethyl Vamidotion Vinclozolin Zoxamide		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Food and Feed :- High sugar and low water content	Pesticide multi-residue screen (E)-Chlorfenvinphos (E)-Fenpyroximate (Z)-Chlorfenvinphos 2,3,5,6-Tetrachloroaniline 2,4-Methoxychlor 2,4,5-T 2,4-D (2,4-PA) 2,4-DP (Dichlorprop) 2,6-Dichlorobenzonitrile (Dichlobenil) 2-Methyl-4,6-dinitrophenol 2-naphthoxyacetic acid 2-Phenylphenol 3,4-Dichloroaniline 4,4-Dichlorobenzophenone 4,4-methoxychlor olefin Abamectin Acephate Acetamiprid Acetochlor Acifluorfen Acocyclotin	FB-CHR-AA-003 Multi residue method for determination of pesticide residues in Food & Feed using QuEChERS-method	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cyhexatin Acrinathrin Alachlor Aldicarb Aldicarb-sulfone (Aldoxycarb) Aldrin Allethrin-3,4 (Bioallethrin) Allidochlor alpha-BHC alpha-Endosulfan Ametocradin Ametryn Amitraz Amitrole Anthraquinone Aramite Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxystrobin Baygon/Propoxur Benalaxyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bendiocarb Benfluralin Benfuracarb Bensulide Bentazone Benzovindiflupyr Benzoximate beta-BHC beta-Endosulfan Bifenazate Bifenthrin Binapacryl Bioallethrin Bioresmethrin Biphenyl Bitertanol Boscalid Brodifacoum Bromacil Bromadiolone Bromfenvinfos-methyl Bromfenvinphos Bromophos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bromophos-ethyl Bromopropylate Bromoxynil (Brominal) Bromuconazol I Bromuconazol II Bupirimate Buprofezin Butralin Butylate Cadusafos Captan Carbaryl (NAC) Carbendazim Benomyl Carbofuran Carbophenothion Carbosulfan Carfentrazone-ethyl Chlorantraniliprole Chlorbenside Chlorbufam Chlordecone (Kepone) Chlordimeform		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Chlorfenapyr Chlorfenson (Ovex) Chloridazon (Pyrazon) Chlormephos Chlormequat Chlorobenzilate Chloroneb Chloropropylate Chloroxuron Chlorpropham Chlorpyrifos Chlorpyrifos-methyl Chlorthiophos-1 Chlorthiophos-2 Chlorthiophos-3 Chlozolate cis-Chlordane cis-Chlordane cis-Nonachlor cis-Permethrine Clethodim Clofentezine Clomazone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Clothianidin Coumafuryl (Fumarin) Coumaphos Coumatetralyl Crimidine Crufomate Cyanazine Cyanofenphos Cyantriliprole Cyazofamid Cycloate Cycloheximide Cycloxydim Cycluron Cyflufenamid Cyflumetofen Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin-3 Cyfluthrin-4 Cymoxanil Cypermethrin-1 Cypermethrin-2		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cypermethrin-3 Cypermethrin-4 Cyphenothrin Cyproconazole I Cyproconazole II Cyprodinil Cyromazine DCPA methyl ester (Chlortha delta-BHC Deltamethrin-1 (Tralomethrin Deltamethrin-2 (Tralomethrin Demeton I Demeton-S-methyl Diafenthiuron Di-allate-1 Di-allate-2 Diazinon Dichlofenthion Dichlofluanid Dichlorvos Diclofop-methyl Dicloran Dicofol deg. (DCBP)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dicrotophos Dieldrin Difenacoum Difenoconazole Diflubenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid Dimethenamid-P Dimethipin Dimethoate Dimethomorph E Dimethomorph Z Diniconazole Dinobuton Dinocap Dinoseb Dinotefuran Dinoterb Dioxathion Diphenamid Diphenylamine		





# Accreditation Scope

Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Disulfoton Ditalimfos Dithiopyr Dodemorph Dodine Edifenphos Emamectin B1a Endosulfan ether Endosulfan sulfate Endrin Endrin aldehyde Endrin ketone EPN Epoxiconazole Epsilon-BHC Esfenvalerate Esprocarb Ethalfuralin Ethidimuron Ethiofencarb Ethion Ethofumesate Ethoprophos (Ethoprop)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Ethoxyquin Ethylan (Perthane) / 1,1-Dichloro-2,2-bis (4-ethylphenyl)ethane Etofenprox Etoxazole Etridiazole Etrimfos Famoxadone Fenamidone Fenamiphos Fenarimol Fenazaquin Fenbuconazole Fenbutatin oxide Fenchlorphos (Ronnel) Fenfuram Fenhexamid Fenitrothion Fenobucarb (Baycarb) Fenothiocarb Fenoxycarb Fenpropathrin Fenpropimorph		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenson Fensulfothion Fenthion Fenuron Fenvalerate-1 Fenvalerate-2 Esfenvalerate Fipronil Flamprop-methyl Flocoumafen Flonicamid Fluazifop-P-butyl Fluazifop-butyl Flubendiamide Fluchloralin Flucythrinate-1 Flucythrinate-2 Fludioxonil Fluensulfone Flufenacet Flufenoxuron Fluometuron Fluopicolide		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fluopyram Fluquinconazole Fluridone Flurprimidol Flusilazole Flutolanil Flutriafol Fluxapyroxad Folpet Fonofos Formothion Furalaxyl Furathiocarb gamma-BHC (Lindane) gamma-Cyhalothrin Haloxyfop Haloxyfop-2-ethoxyethyl Haloxyfop-methyl Heptachlor Heptachlor-exo-epoxide Heptenophos Hexachlorobenzene Hexaconazole		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Hexazinone (Velpar) Hexazinone (Velpar) Hexythiazox Imazalil Imazapyr Imicyafos Imidacloprid Indoxacarb Iodofenphos Iprodione Isazofos Isobenzan (Telodrin) Isodrin Isofenphos-methyl Isopropalin Isopyrazam Isoxaflutole Isoxathion Karmex/Diuron Kelevan Kresoxim-methyl lambda-Cyhalothrin lambda-Cyhalothrin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Lenacil Leptophos Linuron Lufenuron Malaaxon Malathion Mandipropamid MCPA MCPA-thioethyl Mecarbam Mecoprop-P Mephosfolan Meptyldinocap Metaflumizone E Metaflumizone Z Metalaxyl (Mefenoxam) Metaldehyde Metazachlor Methacrifos Methamidophos (Monitor) Methidathion Methiocarb Methomyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Methoprene Methoxychlor Methoxyfenozide Metolachlor (S-Metolachlor) Metoxuron Metrafenone Mevinphos-1 Mevinphos-2 MGK 264-1 MGK 264-2 Mirex Monocrotophos Monolinuron Monuron TCA Myclobutanil N-(2,4-dimethylphenyl) formamide Niclosamide Nicotine Nitralin Nitrofen Norflurazon Novaluron o,p-DDD		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		o,p-DDE o,p-DDT Omethoate Oxadiazon Oxadixyl Oxamyl Oxydemeton-methyl Oxyfluorfen p,p-DDD p,p-DDE p,p-DDT Paclobutrazol Paraoxon-methyl Parathion Parathion-methyl Pebulate Penconazole Pendimethalin Pentachloroaniline Pentachloroanisole Pentachlorobenzene Pentachlorobenzonitrile Pentachloronitrobenzene (Quintozene)		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pentachlorothioanisole Penthiopyrad Phenothrin-1 Phenothrin-2 Phenthoate Phorate Phosalone Phosfolan Phosmet Phosphamidon I Phosphamidon II Picoxystrobin Piperonyl butoxide Pirimicarb Pirimiphos ethyl Pirimiphos-methyl Pretilachlor Prochloraz Procymidone Prodiamine Profenofos Profluralin Prometon		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Prometryn Propachlor Propamocarb (Sum of propamocarb and its salts) Propanil Propargite Propetamphos Propham Propisochlor Propyzamide Prothioconazole Prothiofos Pymetrozine Pyraclofos Pyraclostrobin Pyrazophos Pyrethrin I Pyrethrin II Pyridaben Pyridaphenthion Pyrimethanil Pyrimidifen Pyriproxyfen		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Quinalphos Quinoxifen Resmethrin-1 Resmethrin-2 (Bioresmethrin) Rotenone Saflufenacil Schradan Sedaxane I Sedaxane II Siduron I Siduron II Silvex (2,4,5-TP) Spinetoram J Spinetoram L Spinosyn A Spinosyn D Spirodiclofen Spirotetramat Strychnine Sulfamethazine Sulfaquinoxaline Sulfotep Sulfoxaflor I		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Sulfoxaflor II Sulprofos tau-Fluvalinate-1 tau-Fluvalinate-2 Tebuconazole Tebufenozide Tebufenpyrad Tebupirimfos Tecnazene Teflubenzuron Tefluthrin Temephos (Abate) Terbacil Terbufos Terbutylazine Terbutryne (Prebane) Tetrachlorvinphos Tetraconazole Tetradifon Tetraethylpyrophosphate (TEPP) Tetramethrin-1 Tetramethrin-2 Tetrasul		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Thiabendazole Thiacloprid Thiamethoxam Thiocyclam hydrogenoxalate Thiodicarb Thionazin Thiophanate-methyl THPI (Tetrahydrophthalimide) Tilt/Propiconazole Tolclofos-methyl Tolfenpyrad Tolyfluanid trans-Chlordane Transfluthrin trans-Nonachlor trans-Permethrine Triadimefon Triadimenol-1 Triadimenol-2 Tri-allate Triazophos Trichlorfon Tricyclazole		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Tridemorph Trifloxystrobin Triflumizole Trifluralin Vamidothion Vinclozolin Zoxamide		
Chemical	Food and Feed :- Meat (muscle) and Seafood	Pesticide multi-residue screen (E)-Fenpyroximate 2,3,5,6-Tetrachloroaniline 2,4,5-T 2,4-D (2,4-PA) 2,4-DP (Dichlorprop) 2-Methyl-4,6-dinitrophenol 2-naphthoxyacetic acid 2-Phenylphenol 3,4-Dichloroaniline Abamectin Acephate Acetamiprid Acetochlor	FB-CHR-AA-003 Multi residue method for determination of pesticide residues in Food & Feed using QuEChERS-method	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Acifluorfen Acrinathrin I Acrinathrin II Alachlor Aldicarb Aldicarb-sulfone (Aldoxycarb) Aldrin Allethrin Allidochlor Ametoctradin Ametryn Aminopyralid Amitraz Anthraquinone Aramite Aramite I Aramite II Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxystrobin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Azoxystrobin Baygon/Propoxur Benalaxyl Benalaxyl Bendiocarb Benfluralin Benfuracarb Bensulide Bentazone Benzovindiflupyr Benzoximate BHC-alpha (benzene hexachloride) BHC-beta BHC-delta BHC-epsilon BHC-gamma (Lindane, gamma HCH) Bifenazate Bifenthrin Binapacryl Bioallethrin Bioresmethrin Biphenyl		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bitertanol Bitertanol I Bitertanol II Boscalid Bromacil Bromadiolone Bromfenvinfos Bromfenvinfos-(Z) Bromfenvinfos-methyl Bromophos Bromophos-ethyl Bromopropylate Bromoxynil (Brominal) Bromuconazole I Bromuconazole II {CAS # 11 Bupirimate Buprofezin Buprofezin (Z-isomer) # Butralin Butylate Cadusafos Cadusafos# Carbaryl (NAC)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Carbendazim Benomyl Carbofuran Carbophenothion Carbosulfan Carfentrazone-ethyl Chinomethionat (Oxythioquin) Chlorantraniliprole Chlorbenside Chlorbufam Chlordane-cis Chlordane-trans Chlordimeform Chlorfenapyr Chlorfenson Chlorfenvinphos-Cis Chlorfenvinphos-Trans Chloridazon (Pyrazon) Chlormephos Chlormequat Chlorobenzilate Chloroneb Chloropropylate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Chloroxuron Chlorpropham Chlorpyrifos Chlorpyrifos-methyl Chlorthiophos Chlozolate cis-1,2,3,6-Tetrahydrophthalimide Clethodim Clofentezine Clomazone Clothianidin Coumafuryl (Fumarin) Coumaphos Coumatetralyl Crimidine Crufomate Cyanazine Cyanofenphos Cyantriliprole Cyazofamid Cycloate Cycloheximide Cycloxydim		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cycluron Cyflufenamid Cyflumetofen LOQ@13 Cyfluthrin I Cyfluthrin II Cyfluthrin III Cyfluthrin IV Cyhalothrin (Gamma) Cyhalothrin (Lambda) Cymoxanil Cypermethrin I Cypermethrin II Cypermethrin III Cypermethrin IV Cyphenothrin Cyphenothrin I Cyphenothrin II {CAS # 3951 Cyproconazole I Cyproconazole II Cyprodinil DCPA (Dacthal, Chlorthal-dir DDD-o,p' DDD-p,p'		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		DDE-o,p' DDE-p,p' DDT-o,p' DDT-p,p' Deltamethrin I Deltamethrin II {CAS # 52918 Demeton-O Demeton-S Demeton-S-methyl Diafenthiuron Diallate I Diallate II {CAS # 2303-16-4 Diazinon Dichlofenthion Dichloran Dichlorobenzonitrile, 2,6- Dichlorobenzophenone, 4,4'- Dichlorprop-methyl Dichlorvos Diclofop Diclofop-methyl Dicrotofos-1 Dicrotofos-2		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dicrotophos Dieldrin Difenacoum Difenoconazole Difenoconazole I Difenoconazole II {CAS # 119 Diflubenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid Dimethenamid-P Dimethipin Dimethoate Dimethoate # Dimethomorph E Dimethomorph Z Diniconazole Diniconazole # Dinitramine Dinocap Dinoseb Dinotefuran		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dinoterb Dioxathion Diphacinone Diphenamid Diphenylamine Disulfoton Ditalimfos Dithiopyr Dodemorph Dodine Edifenphos Emamectin B1a Emamectin B1b LOQ@11 Endosulfan ether Endosulfan I (alpha isomer) Endosulfan II (beta isomer) Endosulfan sulfate Endrin Endrin ketone EPN Epoxiconazole Esfenvalerate-1 Esfenvalerate-2		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Esprocarb Ethalfuralin Ethidimuron Ethiofencarb Ethion Ethofenprox Ethofumesate Ethoprophos Ethoprophos (Ethoprop) Ethoxyquin LOQ@11 Ethylan Etoxazole Etrimfos Famoxadone Fenamidone Fenamiphos Fenarimol Fenazaquin Fenbuconazole Fenbutatin oxide Fenfuram Fenhexamid Fenitrothion		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenobucarb (Baycarb) Fenothiocarb Fenoxycarb Fenpropathrin Fenpropimorph Fenson Fensulfothion Fenthion Fenuron Fenvalerate I Fenvalerate II {CAS # 51630 Fipronil Flamprop-methyl Flocoumafen Flonicamid Fluazifop Fluazifop-p-butyl Flubendiamide Fluchloralin Flucythrinate I Flucythrinate II {CAS # 70124 Fludioxonil Fluensulfone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fluensulfone Flufenacet Flufenoxuron Flumethrin Flumioxazin Fluometuron Fluopicolide Fluopyram Fluquinconazole Fluridone Flurprimidol Flusilazole Flutolanil Flutriafol Fluvalinate-tau I Fluvalinate-tau II {CAS # 102 Fluxapyroxad Fonofos Furalaxyl Furathiocarb Halfenprox Haloxyfop Haloxyfop-2-ethoxyethyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Haloxyfop-2-ethoxyethyl # Haloxyfop-methyl Heptachlor Heptachlor endo-epoxide Heptachlor exo-epoxide Heptenophos Hexachlorobenzene Hexaconazole Hexazinone Hexythiazox Imazalil Imazamox Imazapyr Imicyafos Imidacloprid Indoxacarb Iodofenphos Iprodione Isazofos Isobenzan # Isobenzan (Telodrin) LOQ@ Isodrin Isofenphos-methyl LOQ@21		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Isopropalin Isopyrazam isoxadifen-ethyl Isoxaflutole Isoxathion Karmex/Diuron Kelevan Kelthane Kepone Kresoxim-methyl Lenacil Leptophos Linuron Lufenuron Malaixon Malathion Mandipropamid MCPA Mecarbam Mecarbam # Mecoprop (MCP) Mecoprop-P Mephosfolan		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Meptyldinocap Mesotrione Metaflumizone E Metaflumizone Z Metalaxyl Metazachlor Methacrifos Methamidophos (Monitor) Methidathion Methiocarb Methomyl Methoxychlor olefin Methoxychlor, o,p'- Methoxychlor, p,p'- Methoxyfenozide Metolachlor Metoxuron Metrafenone Mevinphos, E- Mevinphos, Z- MGK-264-1 MGK-264-2 Mirex		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Monocrotophos Monolinuron Monuron Monuron TCA Myclobutanil N-(2,4-dimethylphenyl)forma Niclosamide LOQ@24 Nitralin Nitrofen Nonachlor, cis- Nonachlor, trans- Norflurazon Novaluron Omethoate Oxadiazon Oxadixyl Oxamyl Oxydemeton-methyl Oxyfluorfen Paclobutrazol Paraoxon-methyl Parathion Parathion-methyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pebulate Penconazole Pendimethalin Pentachloroaniline Pentachloroanisole Pentachlorobenzene Pentachlorobenzonitrile Pentachloronitrobenzene(Qu Pentachlorothioanisole Penthiopyrad Permethrin, (1R)-cis- Permethrin, (1R)-trans- Phenothrin II {CAS # 26002-4 Phenthoate Phenthoate # Phorate Phosalone Phosfolan Phosmet Phosphamidon I Phosphamidon II Picoxystrobin Piperonyl butoxide		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pirimicarb Pirimiphos-ethyl Pirimiphos-methyl Pretilachlor Prochloraz Procymidone Prodiamine Profenofos Profluralin Prometon Prometryn Propachlor Propamocarb Propanil Propargite I Propargite II Propetamphos Propham Propham # Propiconazole I Propiconazole II {CAS # 602 Propisochlor Propoxur		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Propyzamide Prothiofos Pymetrozine Pyraclofos Pyraclostrobin Pyrazophos Pyrethrin I Pyrethrin II Pyridaben Pyridaphenthion Pyrimethanil Pyrimidifen Pyriproxyfen Quinalphos Quinclorac Quinoxifen Resmethrin Ronnel Rotenone Saflufenacil S-Bioallethrin Schradan Sedaxane I		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Sedaxane II Siduron I Siduron II Silvex (2,4,5-TP) Spinetoram J Spinetoram L Spinosyn A Spinosyn D Spirodiclofen Spirotetramat Strychnine LOQ@26 Sulfaquinoxaline Sulfotep Sulfoxaflor I Sulfoxaflor II Sulprofos Tebuconazole Tebufenozide Tebufenpyrad Tebupirimfos Tecnazene Teflubenzuron Tefluthrin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Temephos (Abate) Terbacil Terbufos Terbutylazine Terbutryne (Prebane) Tetrachlorvinphos Tetraconazole Tetradifon Tetraethylpyrophosphate (TE) Tetramethrin II (CAS # 7696- Tetrasul Tetrasul # Thiabendazole Thiacloprid Thiamethoxam Thiocyclam hydrogenoxalate Thiodicarb Thionazin Thiophanate-methyl Tilt/Propiconazole Tolclofos-methyl Tolfenpyrad Tralomethrin-A		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Tralomethrin-B Transfluthrin Triadimefon Triadimenol-1 Triadimenol-2 Triallate Triazophos Trichlorfon Triclopyr Tricyclazole Tridemorph Trifloxystrobin Trifloxystrobin Triflumizole Trifluralin Triforine LOQ@14 Trinexapac-ethyl Vamidothion Zoxamide Vinclozolin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Food and Feed :- Difficult or unique commodities /animal feed	Pesticide multi-residue screen 1,1-Dichloro-2,2-bis(4-ethylp (Perthane) 2,3,5,6-Tetrachloroaniline 2,4,5-T 2-Phenylphenol, 3,4-Dichloroaniline 4,4 Dichlorobenzophenone 2-Methyl-4,6-dinitrophenol Abamectin Acephate Acetamiprid Acrinathrin Acetochlor Acifluorfen Alachlor Aldicarb Aldicarb-sulfone (Aldoxycarb) Aldrin Allidochlor Ametoctradin Ametryn Amitraz	FB-CHR-AA-003 Multi residue method for determination of pesticide residues in Food & Feed using QuEChERS-method	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Anthraquinone Aramite Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxystrobin Benalaxyl Bendiocarb Benfluralin Benfuracarb Bensulide Bentazone Benzovindiflupyr Benzoximate BHC (Lindane)-gamma BHC-alpha BHC-beta BHC-delta Bifenazate Bifenthrin Binapacryl Bioallethrin		



# Accreditation Scope

Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bioresmethrin Biphenyl Bitertanol Bolstar (sulprofos) Boscalid Bromacil Bromadiolone Bromfenvinfos-methyl Bromfenvinphos Bromophos Bromophos-ethyl Bromopropylate Bromoxynil (Brominal) Benomyl Bupirimate Buprofezin Butralin Butylate Cadusafos Carbaryl (NAC) Carbendazim Carbofuran Carbophenothion		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Carbosulfan Carfentrazone-ethyl Chlorantraniliprole Chlorbenside Chlorbufam Chlordecone (Kepone) Chlordane-cis Chlordane-trans Chlordimeform Chlorfenapyr Chlorfenson (Ovex) Chlorfenvinphos (Z) Chlorfenvinphos E Chloridazon (Pyrazon) Chlormephos Chlormequat Chlorobenzilate Chloroneb Chloropropylate Chloroxuron Chlorpropham Chlorpyrifos Chlorpyrifos-methyl		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Chlorthal-dimethyl-DCPA me Chlorthiophos-2 Chlorthiophos-3 Chlozolate Clethodim-I Clethodim-II Clofentezine Clomazone Clothianidin Coumafuryl (Fumarin) Coumaphos Coumatetralyl Crufomate Cyanazine Cyanofenphos Cyantriliprole Cyazofamid Cycloate Cycloheximide Cycloxydim-I Cycloxydim-II Cycluron Cyflufenamid		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin-3 Cyfluthrin-4 Cymoxanil Cypermethrin-1 Cypermethrin-2 Cypermethrin-3 Cypermethrin-4 Cyphenothrin Cyproconazole I Cyproconazole II Cyprodinil DDD-o,p DDD-p,p DDE-o,p DDE-p,p DDT-o,p DDT-p,p Deltamethrin-1 (Tralomethrin Deltamethrin-2 (Tralomethrin Demeton-S-methyl Diafenthuron		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Di-allate-1 Di-allate-2 Diazinon Dichlobenil-2,6-Dichlorobenz Dichlofenthion Dichlofluanid Dichlorvos Diclofop-methyl Dicloran Dicofol deg. (DCBP) Dicrotophos Dieldrin Difenacoum Difenoconazole-I Difenoconazole-II Diflubenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid Dimethenamid-P Dimethipin Dimethoate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dimethomorph E Dimethomorph Z Diniconazole Dinocap Dinoseb Dinotefuran Dinoterb Diphenamid Diphenylamine Disulfoton Ditalimfos Dithiopyr Diuron/Karmex Dodemorph Edifenphos Emamectin B1a Endosulfan sulfate Endosulfan-alpha Endosulfan-beta Endosulfan ether Endrin Endrin aldehyde Endrin ketone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		EPN Epoxiconazole Epsilon-BHC Esprocarb Ethalfuralin Ethidimuron Ethiofencarb Ethion Ethofumesate Ethoprophos (Ethoprop) Etofenprox Etoxazole Etridiazole Etrimfos Famoxadone Fenamidone Fenamiphos Fenarimol Fenazaquin Fenbuconazole Fenchlorphos (Ronnel) Fenfuram Fenhexamid		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenitrothion Fenobucarb (Baycarb) Fenothiocarb Fenoxycarb Fenpropathrin Fenpropimorph Fenpyroximate Fenson Fensulfothion Fenthion Fenuron Fenvalerate-1 Fenvalerate-2 (Esfenvalerate) Fipronil Flamprop-methyl Flonicamid Fluazifop-P-butyl Fluazifop-butyl Flubendiamide Fluchloralin Flucythrinate-1 Flucythrinate-2 Fludioxonil		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Flufenacet Flufenoxuron Fluometuron Fluopicolide Fluopyram Fluquinconazole Fluridone Flurprimidol Flusilazole Flutolanil Flutriafol Fluvalinate- tau-1 Fluvalinate- tau-2 Fluxapyroxad Folpet Fonofos Formothion Furalaxyl Furathiocarb gamma-Cyhalothrin Haloxyfop-2-ethoxyethyl Haloxyfop-methyl Heptachlor		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Heptachlor-exo-epoxide Heptenophos Hexachlorobenzene Hexaconazole Hexazinone (Velpar) Hexythiazox Imazalil Imazapyr Imicyafos Imidacloprid Indoxacarb Iodofenphos Iprodione Isazofos Isobenzan (Telodrin) Isodrin Isopropalin Isopyrazam Isoxathion Kelevan Kresoxim-methyl lambda-Cyhalothrin Lenacil		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Leptophos Linuron Lufenuron Malaoxon Malathion Mandipropamid MCPA-thioethyl Mecarbam Mephosfolan Meptyldinocap Metaflumizone E Metaflumizone Z Metalaxyl (Mefenoxam) Metazachlor Methacrifos Methamidophos (Monitor) Methidathion Methiocarb Methomyl Methoxychlor 2,4 Methoxychlor methoxychlor-4,4-olefin Methoxyfenozone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Metolachlor (S-Metolachlor) Metoxuron Metrafenone Mevinphos-1 Mevinphos-2 MGK 264-1 MGK 264-2 Mirex Monocrotophos Monolinuron Myclobutanil N-(2,4-dimethylphenyl) formate Nitralin Niclosamide Nitrofen Nonachlor-cis Nonachlor-trans Norflurazon Novaluron Omethoate Oxadiazon Oxadixyl Oxamyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Oxydemeton-methyl Oxyfluorfen Paclobutrazol Paraoxon-methyl Parathion Parathion-methyl Pebulate Penconazole Pendimethalin Pentachloroaniline Pentachloroanisole Pentachlorobenzene Pentachlorobenzonitrile Pentachloronitrobenzene (Q Pentachlorothioanisole Penthioapyrad Permethrine-cis- Permethrine-trans Phenothrin-1 Phenothrin-2 Phenthoate Phorate Phosalone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Phosfolan Phosmet Phosphamidon I Phosphamidon II Picoxystrobin Piperonyl butoxide Pirimicarb Pirimiphos ethyl Pirimiphos-methyl Pretilachlor Procymidone Prodiamine Profenofos Profluralin Prometon Prometryn Propachlor Propamocarb (Sum of propa Propanil Propargite I Propargite II Propham Propiconazole I		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Propiconazole II Propisochlor Propoxur Propyzamide Prothiofos Pyraclofos Pyraclostrobin Pyrazophos Pyridaben Pyridaphenthion Pyrimethanil Pyrimidifen Pyriproxyfen Quinalphos Quinoxifen Rotenone Saflufenacil Resmethrin-1 Resmethrin-2 (Bioresmethrin) Schradan Sedaxane I Sedaxane II Siduron I		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Siduron II Spinetoram J Spinetoram L Spinosyn A Spinosyn D Spiroclufen Spirotetramat Sulfamethazine Sulfaquinoxaline Sulfotep Sulprofos Sulfoxaflor I Sulfoxaflor II Tebuconazole Tebufenozide Tebufenpyrad Tebupirimfos Tecnazene Teflubenzuron Tefluthrin Terbacil Terbufos Terbutylazine		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Terbutryne (Prebane) Tetrachlorvinphos Tetraconazole Tetradifon Tetraethylpyrophosphate (TE) Tetramethrin-1 Tetramethrin-2 Tetrasul Thiabendazole Thiacloprid Thiamethoxam Thiodicarb Thionazin Thiophanate-methyl THPI (Tetrahydrophthalimide) Tolclofos-methyl Tolfenpyrad Tolyfluanid Transfluthrin Triadimefon Triadimenol-1 Tri-allate Triazophos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Trichlorfon Tricyclazole Tridemorph Trifloxystrobin Triflumizole Trifluralin Vamidothion Vinclozolin Zoxamide		
Chemical	Foods and food products	Titrateable Acidity	FB-CHO-AA-010 by titration against NaOH with phenolphthalein indicator	2
Chemical	Waters	Alkalinity	FB-CHW-AA-007 by manual acid titration	2
Chemical	Waters	pH	FB-CHW-AL-001 by pH meter	2
Chemical	Drinking, raw, filtered and treated waters	Colour	FB-CHW-AA-005 by manual meter with colour attachment	2
Chemical	FATS and OILS	Refractive Index	FB-CHO-AL-008 based on AOAC International, 18th Edition 2005 by digital refractometer	1, 2
Chemical	Honey	Hydroxymethylfurfural (HMF)	FB-CHO-AL-006 by Ultra-Violet Spectrophotometry (UV)	1, 2
Chemical	Fats and Oils	Fatty acid composition - cis and trans isomers: Butanoic C4:0 Hexanoic C6:0 Octanoic C8:0 Caproic C10:0	FB-CHO-AD-010 based on AOAC 963.22 and AOCS Ce-1c-89 by capillary column Gas Chromatography (GC)	1





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Undecanoic C11:0 Lauric C12:0 Tridecanoic C13:0 Myristic C14:0 Myristoleic C14:1 Pentadecanoic C15:0 Pentadecenoic C15:1 Palmitic C16:0 Palmitoleic C16:1 Heptadecanoic C17:0 Heptadecenoic cis C17:1 Stearic C18:0 Oleic tr C18:1 Oleic cis C18:1 Linoleic tr, tr, C18:2 Linoleic C18:2 cis, tr, C18:2 Linoleic C18:2 tr, cis, C18.2 Linoleic (Omega 6 fatty acid) cis, cis, C18.2 Arachidic C20:0 Linolenic C18:3 C18:3 ttt Linolenic C18:3 C18:3 ttc + tct Linolenic C18:3 C18:3 ctt + cct Linolenic C18:3 C18:3 ctt Linolenic C18:3 C18:3 tcc Linolenic (gama) cis, cis, cis 6,9,12, C18:3 Eicosenoic (Gadoleic) 11-cis C20:1		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Linolenic (alpha) 18:3 (n-3). cis,cis,cis-9,12,15-, C18:3 Heneicosanoic C21:0 Eicosadienoic C20:2 Behenic C22:0 Eicosatrienoic C20:3n6 Erucic C22:1 Eicosatrienoic C20:3n3 Arachidonic C20:4 Tricosanoic C23:0 Docosadienoic C22:2 Lignoceric C24:0 Eicosapentaenoic C20:5 Nervonic C24:1 Docosahexaenoic C22:6		
Chemical	Fats and Oils	Specific Extinction at 232 nm and 271 nm	FB-CHO-AD-027 by UV/Vis spectrophotometry	1
Chemical	Fruit Juices and Drinks	Water soluble vitamins: Pyridoxine (Vitamin B6) Nicotinamide or Nicotinic acid (Niacin, Vitamin B3)	FB-CHO-AD-006 by HPLC-UV	1
Chemical	Milk and Dairy Products	Fat	FB-CHO-AD-033 by Gerber method	1
Chemical	Milk and Dairy Products	Starch (qualitative)	FB-CHO-AD-037 by iodine blue colour indication	1
Chemical	Nuts	Total aflatoxin	FB-CHR-AD-001 by Fluorometer	1
Chemical	Food and food products, except butter	Sodium chloride	FB-CHO-AD-036 by Mohr Method	1
Chemical	Food and animal feed	Fat content	FB-CHO-AD-018 by acid hydrolysis and direct Soxhlet extraction method	1



# Accreditation Scope

## Central Testing Laboratories – Abu Dhabi Quality & Conformity Council, NAL 150 Testing Laboratory (ISO/IEC 17025:2017) Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Solid processed foods	Oil/Fat	FB-CHO-AD-019 by Rapid determination utilizing high temperature	1
Chemical	Fruits and vegetables (Sante Commodity Groups 1 & 2)	Pesticide residue: 1, 1Dichloro2,2bis(4 ethyl phenyl) ethane 2,3,5,6- Tetrachloroaniline 3,4 -Dichloroaniline 4,4' Dichlorobenzophenone Acephate; Acequinocyl Acetamiprid; Acetochlor Acrinathrin-1; Acrinathrin-2 Alachlor; Aldicarb Aldicarb sulfone Aldrin Allethrin and S-bioallethrin (esbiol) Allidochlor; Ametryn Anthraquinone Aramite (total) Atrazine; Azamethipos Azinphos ethyl Azinphos methyl Azoxytrobins Benalaxyl; Bendiocarb Benfluraline; Benfuracarb Bentazone; Benzoximate BHC-alpha; BHC-beta BHC-delta BHC-gamma (Lindane) Bifenazate; Bifenthrin Binapacryl; Bioresmethrin Biphenyl; Bitertanol	FB-CHR-AD-021 by dispersive SPE, QuEChERS method with gas chromatography tandem mass spectrometry (GC-MS/MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bolstar (sulprofos) BOSCALID; Brodifacoum Bromacil Bromfenvinphos methyl Bromfenvinphos Bromophos Bromophos ethyl Bromopropylate Bromoxynil Bromuconazole-1 Bromuconazole-2 Buprimate ; Buprofezin Butralin ; Butylate Cadusafos ; Carbaryl Carbofuran Carbophenothion Carbosulfan Carfentrazone Ethyl Cartap hydrochloride (as cartap) Chlorantraniliprole Chlorbenside Chlordane-trans Chlordane -cis Chlordimeform ; Chlorfenapyr Chlorfenson Chlorfenvinphos-(E) Chlorfenvinphos-(Z) Chloridazon Chlormequat Chlorobenzilate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Chloroprotham Chloropropylate Chloropyrifos Chloropyriphos methyl Chlorthaldi methyl Chlorthiophos-1 Chlorthiophos-2 Chlorthiophos-3 Chlozolate Clethodim-01 Clethodim-02 Clomazone Coumafuryl Coumaphos Crimidine Cruformate Cyanazine Cyanophenphos Cycloate Cycloheximide Cycloxydim-01 Cycloxydim-02 Cycluron Cyflufenamid Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin-3 Cyfluthrin-4 Cymoxanil Cypermethrin-1 Cypermethrin-2 Cypermethrin-3		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cypermethrin-4 Cyphenothrin Cyprodinil DDD-o,p; DDD-p,p DDE-o,p; DDE-p,p DDT-o,p; DDT-p,p Deltamethrin-1 Deltamethrin-2 Demeton O,S Diafenthiuron Diallylate (total) Diazinone; Dichlobenil Dichlofluanid; Dichlorvos Diclofop; Dicloran Dicofol; Dieldrin Difenacoum Difenoconazole-I Difenoconazole-II Difluorobenzuron Dimefox; Dimethachlor Dimethametryn Dimethenamid and Dimethenamid-P Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Diniconazole; Dinobuton Dinocap; Dinoseb Dinotefuran Dinoterb; Diphenamid Diphenylamine Disulfoton ; Ditalimfos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Diuron ; Dodemorph Edifenphos Emamectin benzoate-a Emamectin benzoate-b Endosulfan ether Endosulfan I; Endosulfan II Endosulfan sulfate Endrin ; Endrin Ketone Endrin Aldehyde EPN ; EPOXICONAZOLE Esprocarb ; Ethafluraline Ethidimuron ; Ethiofencarb Ethion ; Ethofumesate Ethoprophos ; Ethoxyquin Ethylan (Perthane) Etofenprox ; Etridiazole Etrimfos ; Fenamidone Fenamiphos ; Fenarimol Fenazaquin ; Fenbuconazole ; Fenchlorphos ; Fenfuram Fenhexamide ; Fenitrothion Fenobucarb ; Fenothiocarb Fenoxycarb ; Fempiclonil Fenpropathrin Fenpropimorph Fenpyroximat ; Fenson Fensulfothion ; Fenthion Fenuron TCA Fenvalerate-1 Fenvalerate-2 ; Fipronil Flamprop-methyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Flocoumafen Fluazafop-P-butyl Fluchloralin Flucythrinate-1 Flucythrinate-2 Fludioxonil; Flufenacet Flufenoxuron; Fluomethuron Fluquinconazole Fluridone (Sonar) Flurprimidol; Flusilazole fluthrin-Trans Flutolanil ; Flutriafol Fluvalinate tau-1 Fluvalinate tau-2 Folpet ; Fonofos Furalaxyl ; Furathiocarb Haloxyfop Haloxyfop - methyl Haloxyfop-2-ethoxyethyl Heptachlor Heptachlor Epoxide Hexa ChloroBenzene Hexazinone ; Hexythiazox Imazalil ; imicyafos Imidacloprid ; Indoxacarb Iodofenphos Iprodione ; Isazofos Isodrin Isonephos methyl Isopropalin ; Isoxathion Kresoxim methyl lambda Cyhalothrin		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Lenacil ; Leptophos Linuron ; Malathion Mandipropamide MCPP; Mephosfolan Metalaxyl; Metaldehyde Metazachlor; Methacrifos; Methadiation Methamidophos Methiocarb; Methomyl Methoxychlor-o,p Methoxychlor-p,p Metolachlor (SMetolachlor) Metoxuron Mevinphos-1; Mevinphos-2 MGK 264-1 ; MGK 264-2 Mirex Monocrotophos Monolinuron ; Monuron Myclobutanil N (2,4dimethylphenyl) formamide ; Niclosamide Nicotine ; Nitraline Nitrofen ; Nonachlor- cis Nonachlor-trans Norflurazon ; Omethoate Oxadiazon ; Oxadixyl Oxamyl Oxydemeton-Methyl Oxyfluofen ; Paclobutrazol Parathion Parathion Methyl Pebulate ; Penconazole		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pendimethalin Penta Chloro Anilsole Pentachloro Benzene Pentachloroaniline Pentachlorobenzonitrile Pentachlorothioanilsole Permethrine-cis Permethrin-trans Phenothrin-1 ; Phenothrin-2 phenylphenol-2 Phorate ; Phosalone Phosfolan ; Phosmet Phosphamidon Piperonyl butoxide Pirimicarb ; Pirimiphos- ethyl Pirimiphos-methyl Pretilachlor ; Prochloraz Procymidone Prodiamine ; Profenofos Profluralin ; Propachlor Propamocarb ; Propanil Propargite-1 Propargite -2 Propetamphos ; Propham Propiconazole-1 Propiconazole-2 Propisochlor ; Propyzamide Prothiofos ; Pymetrozine Pyraclostrobin Pyrazophos ; Pyridaben Pyrimethanil Pyrimidifen ; Pyriproxyfen		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Quinalphos ; QUINOXYFEN Quintozene ; Resmethrin Rotenone ; Schradan Siduron ; Spirodiclofen Strychnine ; Sulfamethazine Sulfaquinoxaline ; Sulfotep Tebuconazole Tebufenpyrad Tebupirimfos Tecnazene ; Tefluthrin Temephos ; TEPP Terbacil ; Terbufos Terbutylazine Tetra chlorvinphos Tetradifon Tetramethrin-1 Tetramethrin-2 Thiabendazole Thiachlopid; Thiamethoxam Thiocyclam hydrogenoxalate (as thiocyclam) Thiodicarb; Thionazin Thiophanate-methyl Thiram (tetramethylthiuram disulfide) THPI (Tetrahydrophthalimide) Toclufos Methyl Tolfenpyrad; Tolyfluanid Trans fluthrin; Triadimefon Triadimenol Triallate; Triazophos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Trichlorfon; Tricyclazole Tridemorph; Trifloxystrobin Triflumizole; Trifluralin Vamidothion; Vinclozolin Zoxamide		
Chemical	Dates (Sante group 3)	Pesticide residue 1,1-Dichloro2,2bis (4ethylphenyl)ethane 2,3,5,6- Tetrachloroaniline Phenylphenol-2 3,4- Dichloroaniline 3,4Dichloroaniline 4,4-Dichloro benzophenone Acephate Acetamidrid Acetochlor Acrinathrin-1 Acrinathrin-2 Alachlor Aldicarb Aldicarb sulfone Aldrin Allethrin and S-bioallethrin (esbiol) Allidochlor Ametryn Anthraquinone Aramite (total) Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl	FB-CHR-AD-021 by dispersive SPE, QuEChERS method with gas chromatography tandem mass spectrometry (GC-MS/MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Azoxystrobin Benalaxyl Bendiocarb Benfluralin Bentazone BHC-alpha BHC-beta BHC-Delta BHC-gamma (Lindane) Bifenazate Bifenthrin Binapacryl Bioresmethrin and Resmethrin Biphenyl Bitertanol BOSCALID Bromacil Bromfenvinfos methyl Bromfenvinphos Bromophos Bromophos-ethyl Bromopropylate Bromuconazole-1 Bromuconazole-2 Bupirimate Buprofezin Butylate Cadusafos Captan Carbaryl Carbofuran		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Carbophenothion Carfentrazone ethyl Cartap hydrochloride (as cartap) Chlorbenside Chlordane-cis Chlordan-trans Chlordimeform Chlorfenapyr Chlorfenson Chlorfenvinphos-(Z) Chlorfenvinphos-E Chloridazon Chlorobenzilate Chloroneb Chloropyriphos-methyl Chlorothalonil Chlorpropham Chlorpyrifos Chlorthaldimethyl Chlorthiophos-1 Chlorthiophos-2 Chlorthiophos-3 Chlorvniifos Chlozolate Clethodim-01 Clethodim-02 Clomazone Coumafuryl Coumaphos Crimidine Cruformate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cyanazine Cyanofenphos Cycloheximide Cycluron Cyflufenamid Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin-3 Cyfluthrin-4 Cyhalothrin-lambda Cypermethrin-1 Cypermethrin-2 Cypermethrin-3 Cypermethrin-4 Cyprodinil DDD-o,p DDD-o,p DDD-p,p DDE-o,p DDE-p,p DDT -o,p DDT -p,p DDT-o,p DDT-p,p Deltamethrin-1 Deltamethrin-2 Diallate1 Diallate2 Diazinon Dichlobenil Dichlofluanid Dichlorvos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dicloran Dieldrin Difenoconazole Difluorobenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid and Dimethenamid-P Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Diniconazole Dinoseb Dinotefuran Dinoterb Diphenamid Diphenylamine Disulfoton Ditalimfos Diuron Dodemorph Edifenphos Endosulfan ether Endosulfan II Endosulfan sulfate Endosulfan-I Endrin Endrin aldehyde Endrin ketone EPN Epoxiconazole		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Esprocarb Ethalfuralin Ethidimuron Ethiofencarb Ethion Ethofumesate Ethoprophos Ethoxyquin Etofenprox Etridiazole Etrimfos Fenamidone Fenamiphos Fenarimol FENBUCONAZOLE Fenchlorphos Fenfuram Fenhexamid Fenitrothion Fenobucarb Fenothiocarb Fenoxycarb Fenpiclonil Fenpropathrin Fenpropimorph Fenson Fensulfothion Fenthion Fenuron TCA Fenvalerate-1 Fenvalerate-2 (Esfenvalerate)		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fipronil Flamprop methyl Fluazafop-P-butyl Fluchloralin Flucythrinate Flucythrinate-1 Flucythrinate-2 Fludioxonil Flufenacet Flufenoxuron Fluomethuron Fluquinconazole Fluridone Flurprimidol Flusilazole Flutolanil Flutriafol Fluvalinate-tau1 Fluvalinate-tau2 Folpet Fonofos Furalaxyl Furathiocarb Haloxyfop-2-ethoxyethyl Haloxyfop-methyl Heptachlor Heptachlorexoeopoxide Hexachlorobenzene Hexazinone Hexythiazox Imazalil imicyafos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Imidacloprid INDOXACARB Iodofenphos Iprodione Isazofos Isodrin Isonephos methyl Isopropalin Isoxathion Kresoxim-methyl lambda Cyhalothrin Lenacil Leptophos Linuron Malathion Mandipropamide MCPP Mephosfolan Metalaxyl Metazachlor Methacrifos Methamidophos Methiocarb Methomyl Methoxychlor-2,4 methoxychlor-4,4 Metolachlor (SMetolachlor) Metoxuron Mevinphos1 Mevinphos-1 MGK 2641 MGK 264-1		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Mirex Monocrotophos Monolinuron Monuron Myclobutanil N(2,4dimethylphenyl) formamide Nitrofen Nonachlor-cis Nonachlor-trans Norflurazon Omethoate Oxadiazon Oxadixyl Oxamyl Oxydemeton-Methyl Paclobutrazol parathion -Methyl Pebulat Penconazole Pendimethalin Pentachloroaniline Pentachloroanisole Pentachlorobenzene Pentachlorobenzonitrile Pentachlorothioanisole Permethrin-cis Permethrin-trans Phenothrin-1 Phenothrin-2 Phorate Phosalone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Phosmet Phosmet Phosphamidon Piperonyl butoxide Pirimicarb Pirimiphos ethyl Pirimiphos methyl Pretilachlor Prochloraz Procymidone Prodiamine Profenofos Profluralin Propachlor Propamocarb Propanil Propham Propiconazole Propisochlor Propyzamide Prothiofos Pyraclofos Pyraclostrobine Pyrazophos Pyridaben Pyridaphenthion PYRIMETHANIL Pyriproxyfen Quinalphos QUINOXYFEN Quintozene Rotenone		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Siduron Spirodiclofen Sulfamethazine Sulfaquinoxaline Sulfotep Sulprofos Tebuconazole Tebufenpyrad Tebupirimfos Tecnazene Tefluthrin Temephos TEPP Terbacil Terbufos Terbutylazine Tetrachlorvinphos Tetradifon Tetramethrin-1 Tetramethrin-2 Thiabendazole Thiacloprid Thiamethoxam Thiocyclam hydrogenoxalate (as thiocyclam) Thiodicarb Thionazin Thiophanate-methyl THPI (Tetrahydrophthalimide) Tolclofos methyl Tolfenpyrad		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Tolyfluanid Trans fluthrin Transfluthrin Triadimefon Triadimenol Triallate Triazophos Trichlorfon Tridemorph Trifloxystrobin Triflumizole Trifluralin Vamidothion Vinclozolin Zoxamide		
Chemical	Honey (Sante group 3)	<u>Pesticide Residue:</u> 2,4,5-T Acephate Acetamiprid; Acetochlor Alachlor; Aldicarb Aldicarb sulfone Aldrin Allethrin and S-bioallethrin (esbiol) Ametryn Aramite (total) Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxytrobin Benalaxyl ; Bendiocarb	FB-CHR-AD-021 by dispersive SPE, QuEChERS method with gas chromatography tandem mass spectrometry (GC-MS/MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Benzoximate Bifenazate; Bifenthrin Binapacryl Bioresmethrin and Resmethrin Bitertanol ; BOSCALID Bromacil ; Bromophos Bromophos-ethyl Bromopropylate Bromuconazole-1 Bromuconazole-2 Bupirimate Buprofezin ; Butralin Butylate ; Cadusafos Carbaryl ; Carbofuran Carbosulfan Cartap hydrochloride (as cartap) Chlordimeform ; Chloridazon Chlorofenfos Chloropyrifos methyl Chlorpyrifos ; Clethodim-01 Clethodim-02 Coumafuryl ; Coumaphos Crimidine ; Cruformate Cyanazine ; Cyanofenphos Cycloheximide Cycloxydim-01 Cycloxydim-02 Cycluron ; Cyflufenamid Cyfluthrin-1 ; Cyfluthrin-2 Cyfluthrin-3 ; Cyfluthrin-4		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cymoxanil ; Cypermethrin-1 Cypermethrin-2 Cypermethrin-3 Cypermethrin-4 Cyprodinil DDD-o,p; DDD-p,p DDE-o,p; DDE-p,p DDT-o,p; DDT-p,p Deltamethrin ; Diallylate-1 Diallylate-2 ; Diazinone Dichlobenil ; Dichlorvos Difenoconazole-1 Difenoconazole-2 Difluorobenzuron Dimefox; Dimethachlor Dimethametryn Dimethenamid and Dimethenamid-P Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Diniconazole Dinotefuran ; Diphenylamine Disulfoton ;Ditalimfos Diuron ; Dodemorph Endosulfan I Endosulfan II Endosulfan sulfate Endrin ; Epoxiconazole Esprocarb ; Ethidimuron Ethiofencarb ; Ethion Ethofumesate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Ethoprophos ; Ethoxyquin Etofenprox ; Etrimfos famoxadone Fenamidone ; Fenamiphos Fenarimol ; Fenbuconazole Fenfuram ; Fenhexamid Fenobucarb ; Fenothiocarb Fenoxycarb ; Fenpiclonil Fenpropathrin Fenpropimorph Fensulfothion ; Fenthion Fenuron TCA Fenvalerate-1 Fenvalerate-2 Flamprop methyl Fluazafop-P-butyl Flufenacet Fluomethuron; Flurprimidol Flusilazole; Flutolanil Furalaxyl ; Furathiocarb Haloxyfop-2-ethoxyethyl Haloxyfop-methyl Hexazinone Hexythiazox Imazalil; imicyafos Imidacloprid; Indoxacarb Iprodione; Isazophos Isonephos methyl Isoxathion Kresoximmethyl lambda.Cyhalothrin Lindane; Malathion		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Mandipropamide MCPP Mepfosfolan Metalaxyl ; Metaldehyde Methamidophos Methiocarb; Methomyl Methyl parathion Metoxuron Monocrotophos Monolinuron; Monuron Myclobutanil; Niclosamide Nicotine ; Omethoate Oxadixyl; Oxamyl Oxydemeton-Methyl Pebulat ; Penconazole Pendimethalin Permethrine-cis permethrin-trans phenylphenol-2 Phorate ; Phosalone Phosfolan ; Phosmet Phosphamidon Piperonyl butoxide Pirimicarb Pirimiphos methyl Procymidone Profenofos ; Propachlor Propamocarb Propham ; Propiconazole Pyraclostrobin Pyrazophos ; Pyridaben PYRIMETHANIL		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pyriproxyfen Quinalphos ; QUINOXYFEN Qunitozne ; Rotenone Schradan ; Siduron Spirodiclofen Sulfamethazine Sulfaquinoxaline Sulfotep Tebuconazole Tebupirimfos ; Tecnazene Temephos; TEPP Tetradifeon Thiabendazole Thiacloprid; Thiamethoxam Thiocyclam hydrogenoxalate (as thiocyclam) Thiodicarb; Thionazin Thiophanate-methyl Tolclofomethyl Triadimefon; Triadimenol Triazophos ; Trichlorfon; Tricyclazole Tridemorph ; Trifloxystrobin Trifluralin; Vamidothion Vinclozoline; ZOAXAMIDE		
Chemical	Tree nuts, seed oils and Pastes of tree nuts and oil seeds (Sante Groups 4a & 4b)	Pesticide residues: Acephate Acetamipri Acetochlor Alachlor Aldicarb sulfone Ametryn	FB-CHR-AD-021 by dispersive SPE, QuEChERS method with gas chromatography tandem mass spectrometry (GC-MS/MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Atrazine Azamethiphos Azoxystrobin Benalaxyl Bendiocarb Bentazone-E- Binapacryl Bromacil Bromuconazole-1 Bromuconazole-2 Bupimate Butylate Carbaryl Carbofuran Cartap hydrochloride (as cartap) Chlordimeform Chloridazon Coumafuryl Coumaphos Crimidine Cruformate Cyanazine Cycloheximide-NH4 Cycluron Cyflufenamid Cyprodinil Cyromazine Dichlobenil Dichlorvos Dimefox Dimethachlor		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Dimethametryn Dimethenamid and Dimethenamid-P Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Diniconazole Dinobuton Dinotefuran Dinoterb- Ditalimfos Diuron Emamectin benzoate-a Epoxiconazole Esprocarb Ethidimuron Ethiofencarb Ethofumesate Ethoprophos Etrimfos Fenamidone Fenamiphos Fenbuconazole Fenfuram Fenhexamid Fenobucarb Fenothiocarb Fenoxycarb Fenpiclonil Fenpropimorph Fensulfothion Fenuron TCA		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Flamprop-methyl Fluazafop-P-butyl Flufenacet Flumethuron Flurprimidol Flusilazole Flutolanil Furathiocarb Hexazinone Imazalil imicyafos Imidacloprid Indoxacarb Isazophos Isoxathion Linuron Malathion Mandipropamide MCPP Mephosfolan Metalaxyl Metaldehyde-NH4 Methamidophos Methiocarb Methomyl Metoxuron Monocrotophos Monolinuron Monuron Myclobutanil Oxadixyl Oxamyl		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Oxydemeton-Methyl Pebulat Penconazole Phosalone Phosfolan Phosphamidon Pirimicarb Pirimiphos-methyl Profenofos Propachlor Propamocarb Propiconazole Pymetrozine Pyrazophos Pyrimethanil Quinalphos Rotenone Schradan Siduron Strychnine Sulfamethazine Sulfaquinoxaline Sulfotep Tebuconazole Tebupirimfos TEPP Thiabendazole Thiacloprid Thiamethoxam Thiocyclam hydrogenoxalate (as thiocyclam) Thiodicarb		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Thionazin Thiophanate-methyl Triadimefon Triadimenol Triazophos Trichlorfon Tridemorph; Tricyclazole Trifloxystrobin Vamidothion Zoxamide		
Chemical	Dry legume vegetables/pulses Cereal grain and products thereof (Sante Group 5)	<u>Pesticide Residue:</u> 2,4,5-T Acephate Acetamiprid; Acetochlor Alachlor; Aldicarb Aldicarb sulfone Aldrin Allethrin and S-bioallethrin (esbiol) Ametryn Aramite (total) Atrazine Azamethiphos Azinphos-ethyl Azinphos-methyl Azoxytrobin Benalaxyl ; Bendiocarb Benzoximate Bifenazate; Bifenthrin Binapacryl Bioresmethrin and Resmethrin	FB-CHR-AD-021 by dispersive SPE, QuEChERS method with gas chromatography tandem mass spectrometry (GC-MS/MS) and liquid chromatography tandem mass spectrometry (LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Bitertanol ; BOSCALID Bromacil ; Bromophos Bromophos-ethyl Bromopropylate Bromuconazole-1 Bromuconazole-2 Bupirimate Buprofezin ; Butralin Butylate ; Cadusafos Carbaryl ; Carbofuran Carbosulfan Cartap hydrochloride (as cartap) Chlordimeform ; Chloridazon Chlorofenfos Chloropyriphos methyl Chlorpyrifos ; Clethodim-01 Clethodim-02 Coumafuryl ; Coumaphos Crimidine ; Cruformate Cyanazine ; Cyanofenphos Cycloheximide Cycloxydim-01 Cycloxydim-02 Cycluron ; Cyflufenamid Cyfluthrin-1 ; Cyfluthrin-2 Cyfluthrin-3 ; Cyfluthrin-4 Cymoxanil ; Cypermethrin-1 Cypermethrin-2 Cypermethrin-3 Cypermethrin-4 Cyprodinil		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		DDD-o,p; DDD-p,p DDE-o,p; DDE-p,p DDT-o,p; DDT-p,p Deltamethrin ; Diallate-1 Diallate-2 ; Diazinone Dichlobenil ; Dichlorvos Difenoconazole-1 Difenoconazole-2 Difluorobenzuron Dimefox; Dimethachlor Dimethametryn Dimethenamid and Dimethenamid-P Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Diniconazole Dinotefuran ; Diphenylamine Disulfoton ;Ditalimfos Diuron ; Dodemorph Endosulfan I Endosulfan II Endosulfan sulfate Endrin ; Epoxiconazole Esprocarb ; Ethidimuron Ethiofencarb ; Ethion Ethofumesate Ethoprophos ; Ethoxyquin Etofenprox; Etrimfos famoxadone Fenamidone; Fenamiphos Fenarimol; Fenbuconazole		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenfuram; Fenhexamid Fenobucarb ; Fenothiocarb Fenoxycarb; Fencpiclonil Fenpropathrin Fenpropimorph Fensulfothion ; Fenthion Fenuron TCA Fenvalerate-1 Fenvalerate-2 Flamprop methyl Fluazafop-P-butyl Flufenacet Fluomethuron; Flurprimidol Flusilazole; Flutolanil Furalaxyl; Furathiocarb Haloxypop-2-ethoxyethyl Haloxypop-methyl Hexazinone Hexythiazox Imazalil; imicyafos Imidacloprid; Indoxacarb Iprodione; Isazophos Isonephos methyl Isoxathion Kresoximmethyl lambda.Cyhalothrin Lindane; Malathion Mandipropamide MCPP Mephosfolan Metalaxyl ; Metaldehyde Methamidophos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Methiocarb; Methomyl Methyl parathion Metoxuron Monocrotophos Monolinuron; Monuron Myclobutanil; Niclosamide Nicotine ; Omethoate Oxadixyl; Oxamyl Oxydemeton-Methyl Pebulat ; Penconazole Pendimethalin Permethrine-cis permethrin-trans phenylphenol-2 Phorate ; Phosalone Phosfolan ; Phosmet Phosphamidon Piperonyl butoxide Pirimicarb Pirimiphos methyl Procymidone Profenofos ; Propachlor Propamocarb Propham ; Propiconazole Pyraclostrobin Pyrazophos ; Pyridaben PYRIMETHANIL Pyriproxyfen Quinalphos ; QUINOXYFEN Qunitozne ; Rotenone Schradan ; Siduron Spirodiclofen		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Sulfamethazine Sulfaquinoxaline Sulfotep Tebuconazole Tebupirimfos ; Tecnazene Temephos; TEPP Tetradifeon Thiabendazole Thiacloprid; Thiamethoxam Thiocyclam hydrogenoxalate (as thiocyclam) Thiodicarb; Thionazin Thiophanate-methyl Tolclofosmethyl Triadimefon; Triadimenol Triazophos ; Trichlorfon; Tricyclazole Tridemorph ; Trifloxystrobin Trifluralin; Vamidothion Vinclozoline; ZOXAMIDE		
Chemical	Feeds and food products & Animal feeds	Moisture and volatile matter Total solids	FB-CHO-AD-032 by loss of volatile matter at 102 °C	1
Chemical	Foods and food products	Qualitative screening for the presence of DNA specific to Porcine	FB-BIM-AD-002 by Biokits Porcine Speciation Module Pods and PCR	1
Chemical	Foods and food products	Qualitative screening of the presence of DNA sequence specific to: Chicken	FB-BIM-AD-008 by PCR	1
Chemical	Foods and food products	Qualitative screening of the presence of DNA sequence specific to: Sheep	FB-BIM-AD-009 by PCR	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Foods and food products	Qualitative screening of the presence of DNA sequence specific to: Equus genus (horse and donkey)	FB-BIM-AD-012 by PCR	1
Chemical	Food and food products	Qualitative screening of the presence of DNA sequence specific to Beef	FB-BIM-AD-007 by PCR	1
Chemical	Drinking water	Dissolved Elements: Aluminum Arsenic Antimony Beryllium Barium Boron Cadmium Calcium Chromium Cobalt Copper Iron Lead Magnesium Manganese Molybdenum Nickel Phosphorus Potassium Selenium Sodium Titanium Thallium	FB-CHI-AD-003 by ICP-OES	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Vanadium Zinc		
Chemical	Drinking water	Alkalinity	FB-CHW-AD-006	1
Chemical	Drinking water	Colour	FB-CHW-AD-001 by manual meter	1
Chemical	Drinking water	Turbidity	FB-CHW-AD-002 by manual meter	1
Chemical	Drinking, raw, filtered and treated water	Residual Chloride	FB-CHW-AD-004 by DPD colorimetry	1
Chemical	Foods and food products	Ash Determinations: Total ash Acid insoluble ash Alkalinity of ash Sulphated ash Water insoluble ash Water soluble ash Organic matter	FB-CHO-AL-002 by muffle and titrametric analysis of residual ash	2
Chemical	Waters	Turbidity	FB-CHW-AA-002 by turbidimeter	2
Chemical	Foods and Food Products /Animal Feeds Products	Nitrogen and crude protein	FB-CHO-AD-013 by automate Kjeldahl determination	1
Chemical	Drinking Water	Dissolved Elements: Aluminum, Barium, Boron, Cadmium, Chromium, Phosphorus, Copper, Iron, Lead, Magnesium, Manganese, Potassium, Sodium, Zinc, Antimony, Arsenic, Nickel, Selenium, Calcium	FB-CHW-AA-008 by ICP-OES	2





# Accreditation Scope

## Central Testing Laboratories – Abu Dhabi Quality & Conformity Council, NAL 150 Testing Laboratory (ISO/IEC 17025:2017) Al Ain, Abu Dhabi, UAE

Issue Date: 22-07-2022

Expiry Date: 13-09-2023

Issue No.: 03

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Crude and refined animal and vegetable fats and oils	Iodine value	FB-CHO-AA-025 by titrimetry	2
Microbiological	Food, food products	Detection of Campylobacter spp	FB-BIB-AL-020 by VIDAS	1, 2
Microbiological	Raw and Potable Bottled Drinking Water, pool and environmental waters	Total Colony Count enumeration (22 °C and 37 °C)	FB-BIB-AL-021 by spread plate technique based on The Microbiology of Drinking Water 2012:Part 7	1
Microbiological	Raw and Potable Bottled Drinking Water, pool and environmental waters	Detection and Enumeration of E.coli and Coliforms	FB-BIB-AL-038 MPN by IDEXX based The Microbiology of Drinking Water (2016) Part 4 – Methods for the Isolation and Enumeration of coliforms bacteria and Escherichia coli	1
Microbiological	Drinking and recreational waters	Legionella spp including Legionella pneumophila - detection and enumeration	FB-BIT-AD-002 based on ISO 11731-2:2004 (withdrawn standard)	1
Microbiological	Liquids, Creams and Solids	Detection of Specified and non-specified microorganisms	CS-AD-007 based on ISO 18415:2017 by non-selective Agar	1
Microbiological	Food, food products	Enumeration of Enterobacteriaceae	FB-BIB-AL-034 by 3M Enterobacteriaceae Count (EB) Petrifilm	1
Microbiological	Food, food products	Detection of Staphylococcal Enterotoxin	FB-BIT-AL-001 by enzyme linked fluorescent immunoassay (ELFA)-VIDAS	1
Microbiological	Food, food products	Detection of Salmonella spp	FB-BIB-AL-011 based on ISO 6579-1:2017, Confirmation by serology and VITEK 2	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Microbiological	Milk products & powdered infant formula products	Detection of Enterobacter sakazakii (formerly Cronobacter sakazakii)	FB-BIB-AL-019 based ISO 22964:2017	1, 2
Microbiological	Infant and Dietetic Foods	Enumeration of Clostridium perfringens	FB-BIB-AL-028 by pour plate based on ISO 7937:2004, confirmation by VITEK2	1, 2
Microbiological	Dairy Products Infant and Dietetic Foods	Enumeration of Coliforms and Escherichia coli	FB-BIB-AL-029 by Most Probable Number technique. E. coli confirmation by VITEK2	1-
Microbiological	Food and Food products	Enumeration of Total colony count (37°C)	FB-BIB-AL-021 by PCA spread plate incubated at 37°C for 44h	1, 2
Microbiological	FOOD and FOOD PRODUCTS, including Dairy Products, and ANIMAL FEEDS	Enumeration of Coliforms	FB-BIB-AL-031 based on ISO 4832:2006	2
Microbiological	FOOD and FOOD PRODUCTS, including Dairy Products, and ANIMAL FEEDS	Enumeration of $\beta$ -glucuronidase positive Escherichia coli	FB-BIB-AL-032 based on BS EN ISO 16649-2:2001. Confirmation by VITEK2	2
Microbiological	Food and food products	Detection of E. coli O157	FB-BIB-AL-015 by selective enrichment. Confirmation by VITEK2	1, 2
Microbiological	Food and food products	Detection of E. coli O157	FB-BIB-AL-016 by VIDAS	1, 2
Microbiological	Food and food products	Detection of Listeria monocytogenes and Listeria spp	FB-BIB-AL-013 by selective enrichment culture, confirmation by VITEK2	1, 2
Microbiological	Food and food products	Detection of Salmonella spp	FB-BIB-AL-011 by two selective agars, Confirmation by serology and VITEK 2	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Microbiological	Food and food products	Detection of Salmonella spp	FB-BIB-AL-012 by VIDAS	1,2
Microbiological	Food and Food Products and Animal Feeds	Salmonella spp	FB-BIB-AA-002 Rapid Test – by Salmonella Latex Test	2
Microbiological	Fish, Fish Products and Shellfish	Vibrio spp	FB-BIB-AL-018 by selective enrichment culture. Confirmation by VITEK2	1,2
Microbiological	Food , Food products and Animal Feeds	Enumeration of Enterobacteriaceae	FB-BIB-AL-033 by pour plate based on BS ISO 21528-2:2017	1, 2
Microbiological	Raw and Potable Bottled Drinking Water, pool and environmental waters	Enumeration of Enterococci	FB-BIB-AL-039 based on ISO 7899-2:2000	1, 2
Microbiological	Raw and Potable Bottled Drinking Water, pool and environmental waters	Enterococci	FB-BIB-AL-040 by IDEXX	1
Microbiological	Drinking and recreational water	Legionella spp DNA including Legionella pneumophila DNA - detection	FB-BIT-AA-001 by membrane filtration, Aquadien TM extraction in conjunction with iQCheckTM PCR kits	2
Microbiological	Food and Food products	Enumeration of Coagulase positive staphylococci including Staphylococcus aureus	FB-BIB-AL-026 based on ISO 6888-1:2021, confirmation by VITEK 2 and Staph slidex	1,2
Microbiological	Raw and Potable Bottled Drinking Water,	Enumeration of Pseudomonas aeruginosa	FB-BIB-AL-042 based on ISO 16266:2006	1, 2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
	pool and environmental water			
Microbiological	Infant and Dietetic Foods	Enumeration of Bacillus cereus	FB-BIB-AL-025 by spread plate technique, confirmation by VITEK2	1, 2
Microbiological	Food and Food products	Enumeration of Yeasts and Moulds to water activity >0.95 and <0.95	FB-BIB-AL-022 in house developed method Using DG18, DRBC and PDA (Potato Dextrose Agar)	1, 2
Microbiological	Food and Food products	Enumeration of Yeast and Mould	FB-BIB-AL-024 by 3M Rapid Yeast and Mould Petrifilm	1, 2
Microbiological	Food and food products	Detection of Listeria monocytogenes	FB-BIB-AL-014 by VIDAS	1, 2
Microbiological	Raw and Potable Bottled Drinking Water, pool and environmental water	Enumeration of E. coli and Coliforms	FB-BIB-AL-037 by membrane filtration based on ISO 9308-1:2014 +A1:2016	1, 2
Microbiological	Liquids, Creams and Solids	Yeast and Mould	CS-AD-006 based on BS EN ISO 16212:2017 by Agar medium	1
Microbiological	Liquids, Creams and Solids	Mesophilic Aerobic Bacteria	CS-AD-008 based on ISO 21149:2017 by spread plate method	1
Radioactivity	Drinking water	Strontium-90	FB-RA-AD-013 by liquid scintillation counting	1
Radioactivity	Drinking water	Tritium	FB-RA-AD-011 by liquid scintillation counting	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Radioactivity	Foods and food products: liquid sediments, soils and waters	Gamma emitting radionuclides with energies from 60 KeV- 2000 KeV	FB-RA-AD-001 by Gamma Spectroscopy	1
Radioactivity	Drinking/potable water	Gross alpha radioactivity relative to americium-241 or thorium-230 and gross beta radioactivity relative to Strontium-90 in water	FB-RA-AD-004 by gas-flow low-level planchet counting system	1
Pharmaceutica I	Tablets, powders, oral solutions and suspension	Assay of active ingredient (Diclofenac Potassium, Amoxicillin, Clavulanic acid, Clopidogrel, Rosuvastatin, Etoricoxib, Azithromycin, Bisoprolol, Celecoxib, Warfarin, Levothyroxine Sodium, Amlodipine, Sulbutamol, Budesonide, Xylometazoline, Fusidic Acid Cream, Paracetamol suppositories and syrup, Mometasone Cream, Atorvastatin, Desloratadine, Loratadine, Cholecalciferol.)	In-house HPLC with UV detection methods supporting USP monographs	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Pharmaceutica I	Tablets, powders, oral solutions and suspension	Dissolution of active ingredient (Diclofenac Potassium, Azithromycin, Amoxicillin, Clavulanic acid, Clopidogrel, Rosuvastatin, Etoricoxib, Bisoprolol, Celecoxib, Warfarin, Levothyroxine Sodium, Amlodipine, Sulbutamol, Budesonide, Xylometazoline, Paracetamol, Mometasone, Atorvastatin, Desloratadine, Loratadine, Cholecalciferol)	In-house HPLC with UV detection methods supporting USP monographs following dissolution by USP Type II paddle apparatus	1
Chemical	Electrical Insulating oil	Dissolved gases (Carbon dioxide, Ethylene, Acetylene, Ethane, Methane, Carbon monoxide, Propylene, Propane and Hydrogen)	CN-Oil-AD-001 based on IEC 60567: Edition 4.0 2011-10 and IEC 60599: 2015 using GC	3
Chemical	Electrical Insulating oil	Dielectric breakdown voltage	CN-Oil-AD-002 based on IEC 60156:2018	3
Chemical	Petroleum products	Color and appearance	CN-Oil-AD-003 based on ISO 2049 Second edition 1996-07-15 using colorimeter	3
Chemical	Insulation liquids	Water	CN-Oil-AD-004 based on CEI IEC 60814 Second edition 1997-08 by Karl Fisher Titrator	3

Chemical	Ground water, drinking water, surface water	Poly Aromatic Hydrocarbon (PAH)- Benzo [a] pyrene	FB-CHW-AD-008 (by GC/MS)	1
----------	---	---	--------------------------	---



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Fruits and vegetables including dates	Pesticide residues – 2,4,5-T (silvex) 2,4-D 2,4-DP (Dichlorprop) 2-Napthoxyacetic acid <Rec 3,4- Dichloroaniline 4,4-Dichlorobenzophenone Abamectin Acephate Acequinocyl Acetamidrid Acetochlor Acibenzolar-S-methyl Acifluorfen Acrinathrin-1 Acrinathrin2 Alachlor Aldicarb Aldicarb sulfone	FB-CHR-AD-21 (by GC-MS/MS and LC-MS/MS)	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Aldicarb sulfoxide Aldrin Allethrin Allethrin3,4 (Bioallethrin) Allidochlor Ametoctradin Ametryn Ametryn Aminocarb Amitraz Anthraquinone Aramite -2 Aramite-1 Atrazine Azamethiphos Azinphos ethyl Azinphos methyl Azoxytobin Benalaxyl Bendiocarb Benfluraline Benfuracarb Benomyl Bentazone Benzovindiflupyr Benzoximate BHC-alpha BHC-beta BHC-delta BHC-gamma (Lindane) Bifenazate Bifenthrin		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Binapacryl Biphenyl Bitertanol-1 Bitertanol-2 Bolstar (sulprofos) BOSCALID Brodifacoum Bromacil Bromadiolone Bromfenvinphos Bromfenvinphos methyl Bromophos Bromophos ethyl Bromopropylate Bromoxynil Bromuconazole-1 Bromuconazole-2 Bupirimate Buprofezin Butafenacil Butocarboxim Butoxycarboxim Butralin Butylate Cadusafos Captafol Captan Carbaryl Carbendazim Carbetamide Carbofuran		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Carbophenothion Carbosulfan Carboxin Carfentrazone Ethyl Cartap hydrochloride (as cart Chlorantraniliprole Chlorbenside Chlordane-cis Chlordane-trans Chlordimeform Chlorfenapyr Chlorfenson Chlorfenson (Ovex) Chlorfenvinphos(E) Chlorfenvinphos(Z) Chlorfluazuron Chloridazon Chlormequat Chlorobenzilate Chloroneb Chloropropylate Chloropyrifos Chloropyriphos methyl Chlorothalonil Chloroxuron Chlorpropham Chlorthal dimethyl Chlorthiophos-1 Chlorthiophos-2 Chlorthiophos-3 Chlortoluron Chlozolinate		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Clethodim-01 Clethodim-02 Clofentazine Clomazone Clothianidin Coumafuryl Coumaphos Coumatetralyl Crimidine Cruformate Cyanazine Cyanophenphos Cyantraniliprole Cyazofamid Cycloate Cycloheximide Cycloxydim-01 Cycloxydim-02 Cycluron Cyflufenamid Cyfluthrin-1 Cyfluthrin-2 Cyfluthrin3 Cyfluthrin4 Cymoxanil Cypermethrin1 Cypermethrin2 Cypermethrin3 Cypermethrin-4 Cyphenothrin Cyproconazole-01		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Cyproconazole-02 Cyprodinil Cyromazine-01 Cyromazine-02 DDD-o,p DDD-p,p DDE-o,p DDE-p,p DDT-o,p DDT-p,p Deltamethrin-1 )Tralomethrin deg.1( Deltamethrin-2 )Tralomethrin deg.2( Demeton-S-methyl Demeton-S-O-01 Demeton-S-O-02 Desmedipham Diafenthuron Diallate -cis Diallate -Trans Diazinon Dichlobenil Dichlofluanid Dichlorvos Diclobutrazol Diclofop Diclofop methyl Dicloran Dicofol Dicrotophos Dieldrin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Diethofencarb Difenacoum Difenoconazole-I Difenoconazole-II Diflubenzuron Difluorobenzuron Dimefox Dimethachlor Dimethametryn Dimethenamid Dimethenamid-P Dimethipin Dimethoate Dimethomorph E, Z-1 Dimethomorph E, Z-2 Dimoxystrobin Diniconazole Dinobuton Dinocap Dinoseb Dinotefuran Dinoterb Dioxacarb Diphenamid Diphenylamine Disulfoton Ditalimfos Dithiopyr Diuron Dodemorph Doramectin Edifenphos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Emamectin benzoate-a Emamectin benzoate-b Endosulfan ether Endosulfan sulfate Endosulfan-alpha Endosulfan-beta Endrin Endrin Aldehyde Endrin Ketone EPN Epoxiconazole Eprinomectin Esprocarb Etaconazole-01 Etaconazole-02 Ethafluraline Ethidimuron Ethiofencarb Ethion Ethiprole Ethirimol Ethofumesate Ethoprophos Ethoxyquin Ethylan (Perthane) Etofenprox Etoxazole Etridiazole Etrimfos Famoxadone Fenamidone Fenamiphos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Fenarimol Fenazaquin Fenbuconazole Fenchlorphos Fenfuram Fenhexamide Fenitrothion Fenobucarb Fenothiocarb Fenoxycarb Fencpiclonil Fenpropathrin Fenpropimorph Fenpyroximat Fenson Fensulfothion Fenthion Fenuron TCA Fenvalerate-1 Fenvalerate-2 (Esfenvalerate) Fipronil Flamprop-methyl Flocoumafen Flonicamid Fluazafop-P-butyl Flubendiamide Fluchloralin Flucythrinate-1 Flucythrinate-2 Fludioxonil Flufenacet		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Flufenoxuron Fluomethuron Fluopicolid Fluopyram Fluoxastrobin Fluquinconazole Fluquinconazole Fluridone (Sonar) Flurprimidol Flusilazole Flutolanil Flutriafol Fluvalerate tau-1 Fluvalerate tau-2 Fluxapyroxad Folpet Fonofos Forchlorfenuron Formetanate Fuberidazole Furalaxyl Furathiocarb Halofenozide Haloxyfop Haloxyfop methyl Haloxyfop-2-ethoxyethyl Heptachlor Heptachlorexopoxide HexaChloroBenzene Hexaconazole Hexaflumuron Hexazinone		





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Hexythiazox Hydramethylnon Imazalil Imazamox Imazapyr imicyafos Imidacloprid Indoxacarb Iodofenphos Ipconazole-01 Ipconazole-02 Iprodione Iprovalicarb-01 Iprovalicarb-02 Isazofos Isodrin Isonephos methyl Isoprocab Isopropalin Isoproturon Isopyrazam Isoxaflutole Isoxathion Ivermectin Kresoxim methyl lambda Cyhalothrin Lenacil Leptophos Linuron Lufenuron Malathion Mandipropamide		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		MCPP (Mecoprop) Mefenacet Mepanipirim Mephosfolan Mepronil Mesotrione Metaflumizone Metalaxyl Metaldehyde Metazachlor Metconazole Methabenzthiazuron Methacrifos Methadiation Methamidophos Methiocarb Methomyl Methoprene Methoprotryne Methoxychlor-o,p Methoxychlor-p,p Methoxyfenozide Metobromuron Metolachlor (SMetolachlor) Metoxuron Metrafenone Metribuzin Mevinphos-01 Mevinphos-02 Mevinphos-1 Mevinphos-2 MGK 264-1		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		MGK 264-2 Mirex Monocrotophos Monolinuron Monuron Moxidectin Myclobutanil N(2,4dimethylphenyl) formamide Neburon Niclosamide Nicotine Nitenpyram Nitaline Nitrofen Nonachlor- cis Nonachlor-trans Norflurazon Novaluron Nuarimol Omethoate Oxadiazon Oxadixyl Oxamyl Oxydemeton-Methyl Oxyfluofen Paclobutrazol Paclobutrazol Parathion Parathion-Methyl Pebulate Penconazole		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Pencycuron (Monceren) Pendimethalin Penta Chloro Anilsole Pentachloroaniline Pentachlorobenzene Pentachlorobenzonitrile Pentachlorothioanilsole Penthioapyrad Permethrin-cis Permethrin-trans Phenmedipham Phenothrin-1 Phenothrin-2 Phenthoate Phenyl phenol-2 Phorate Phosalone Phosfolan Phosmet Phosphamidon-1 Phosphamidon-2 Picoxystrobin Piperonyl butoxide Pirimicarb Pirimiphos ethyl Pirimiphos methyl Pretilachlor Prochloraz Procymidone Prodiamine Profenofos Profluralin		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Prometon Prometryn Propachlor Propamocarb Propanil Propargite-1 Propargite-2 Propetamphos Propham Propiconazole-1 Propiconazole-2 Propisochlor Propoxur Propyzamide Prothioconazole Prothiofos Pymetrozine Pyracarbolid Pyraclofos Pyraclostrobine Pyrazophos Pyridaben Pyridaphenthion Pyrimethanil Pyrimidifen Pyriproxyfen Quinalphos Quinoxifen Quintozene )Pentachloronitrobenzene( Resmethrin-1		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Resmethrin-2 (Bioresmethrin) Rotenone Saflufenacil S-bioallethrin (esbiol) Schradan Secbumeton-01 Secbumeton-02 Sedaxane-01 Sedaxane-02 Siduron-01 Siduron-02 Simetryn Spinetoram Spinosad -A (spinosyn A) Spinosad -D (spinosyn D) Spirodiclofen Spiromesifen Spirotetramat Spiroxamine-01 Spiroxamine-02 Strychnine Sulfamethazine Sulfaquinoxaline Sulfentrazone Sulfotep Sulprofos Tebuconazole Tebufenozide Tebufenpyrad Tebufenpyrad Tebupirimfos		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Tebuthiuron Tecnazen Teflubenzuron Tefluthrin Temephos TEPP )Tetraethylpyrophosphate( Terbacil Terbufos Terbumeton-01 Terbumeton-02 Terbutylazine Terbutryn Tetrachlorvinphos Tetraconazole Tetradifon Tetramethrin-1 Tetramethrin-2 Thiabendazole Thiacloprid Thiamethoxam Thidiazuron Thiobencarb Thiocyclam hydrogenoxalate )as thiocyclam( Thiodicarb Thiofanox Thionazin Thiophanate-methyl Thiram )tetramethylthiuram disulfide(		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		THPI (Tetrahydrophthalimide)(cap tan) Toclofos Methyl Tolfenpyrad Tolyfluanid Trans-fluthrin Triadimefon Triadimenol-1 Triadimenol-2 Triallate Triazophos Trichlorfon Tricyclazole Tridemorph Trifloxystrobin Triflumizole Triflumuron Trifluralin Triticonazole Vamidothion Vinclozolin		
Chemical	Drinking water, network pipeline	Total Organic Carbon (TOC)	FB-CHW-AL-005 by TOC analyzer	1
Chemical	Drinking Water	Total Hardness	FB-CHW-AD-003 (by Titration)	1
Chemical	Drinking Water	Calcium Hardness	FB-CHW-AD-003 (by Titration)	1
Chemical	Drinking water and Seawater	pH	FB-CHW-AL-001 (by pH meter)	1





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Drinking water and Seawater	Electric Conductivity	FB-CHW-AL-002 (by Conductivity meter)	1
Chemical	Drinking water and Seawater	Total Dissolved Solids	FB-CHW-AL-002 (Calculation from Conductivity)	1
Microbiological	Food and Water	Enumeration of Clostridium perfringens by chrom agar	FB-BIB-AD-012	1
Microbiological	Food	Aerobic colony count by rapid method using 3M Express Petrifilm - Enumeration	FB-BIB-AL-046	1
Microbiological	Food	E.coli & Coliforms Using 3M™ Petrifilm™ - Enumeration	FB-BIB-AL-030	1
Microbiological	Food	Staphylococcus aureus Using 3M™ Petrifilm™ - Enumeration	FB-BIB-AL-027	1
Microbiological	Food	Staphylococcus aureus Using 3M™ Petri film™ Staph Express Count (STX) Plates -Enumeration	FB-BIB-AL-027	2
Microbiological	Water	Legionella sp & L. pneumophila for Waters with Low bacterial counts- Detection and enumeration	FB-BIT-AL-002	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Microbiological	Food and Feed	Detection of Campylobacter species and Campylobacter	FB-BIB-AL-049	2
Microbiological	Food	Aerobic colony count by 3M Express Petri film - Rapid Enumeration	FB-BIB-AL-46	2
Chemical	Drinking Water	Residual Chlorine	FB-CHW-AA-001	2
Chemical	Food	Mercury	FB-CHI-AA-014	2
Chemical	Honey	Diastase activity with Phadebas	FB-CHO-AA-039	2
Chemical	Honey	5-(hydroxymethyl)-2-furaldehyde (HMF) by HPLC	FB-CHO-AA-040	2
Chemical	Animal feed	Neutral Detergent Fiber (NDF)	FB-CHO-AA-035	2
Chemical	Animal feed	Acid Detergent Fiber (ADF)	FB-CHO-AA-033	2
Chemical	Food except meat and oil products	Benzoic acid, Sorbic acid, Caffeine, Acesulfame-K, Saccharine	FB-CHO-AA-004(by HPLC)	2
Mechanical Testing	Steel Test Tensile Properties	Specification for Carbon Steel bars for the Reinforcement of Concrete Tensile Properties	BS 4449: 1997 Clause 7.2.3	3
		Metallic materials — Tensile testing Part 1: Method of test at ambient temperature	BS EN 10002-1:2001 BS EN ISO 6892-1:2019	3



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Physical Testing	Soils	Determining the Liquid Limit	AASHTO Designation: T 89-13 (2021)	3
Physical Testing	Soils	Determining the Plastic Limit and Plasticity Index	AASHTO Designation: T 90- 20	3
Physical Testing	Aggregate	Sieve Analysis of Fine and Coarse Aggregate	AASHTO T27-2020	3
Physical Testing	Interlock	Concrete Interlocking Paving Units – Absorption Density Testing	ASTM-C140/ C140M-20a; Clause A4.4	3
Physical Testing	Soil and Rock	Laboratory Determination of water (Moisture) Content of soil and rock by mass	ASTM D 2216-19	3
Physical Testing	Asphalt	Quantitative Extraction of Asphalt Binder from Asphalt Mixtures	ASTM D2172-17e <sup>1</sup>	3
Physical Testing	Asphalt	Size Analysis of Extracted Aggregate	ASTM D5444-15	3
Physical Testing	Asphalt	Standard Practice for Preparation of Asphalt Mixture Specimens Using Marshall Apparatus	ASTM D6926-20	3
Physical Testing	Asphalt	Standard Test Method for Marshall Stability and Flow of Asphalt Mixtures	ASTM D6927 - 15	3
Physical Testing	Asphalt	Bulk Specific Gravity and Density of Non-Absorptive Compacted Asphalt Mixtures	ASTM D2726 - 21	3



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Physical Testing	Asphalt	Method for Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	ASTM D3203 - 17	3
Physical Testing	Precast concrete paving blocks	Part 1: Specification for paving blocks- Measurement of dimension and plan area	BS 6717: 1993: Part 1 Annex A	3
Physical Testing	Precast concrete paving blocks	Part 1: Specification for paving blocks- Determination of compressive strength	BS 6717: 1993: Part 1 Annex B	3
Physical Testing	Precast concrete paving blocks	Flexural Strength of Concrete (Using Simple Beam with Center-Point Loading)	ASTM C293-16	3
Physical Testing	Soils	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	AASHTO T176-2017	3
Physical Testing	Soils	Particle Size Distribution (Sieve Analysis)	AASHTO T88-20	3
Physical Testing	Soils	Moisture–Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop	AASHTO T180 - 2021	3
Physical Testing	Soils	California Bearing Ratio (CBR)	AASHTO T193-13 (2021)	3



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Physical Testing	Soils	Specific Gravity and Absorption of Coarse Aggregate	AASHTO T85-2021	3
Physical Testing	Aggregate	Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	AASHTO T96-02 (2019)	3
Physical Testing	Aggregate	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	AASHTO T104-99 (2020)	3
Physical Testing	Aggregate	Specific Gravity and Absorption of Coarse Aggregate	ASTM C127-15	3
Physical Testing	Aggregate	Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	ASTM C131/131 M-20	3
Physical Testing	Aggregate	Sieve Analysis of Fine and Coarse Aggregates	ASTM C136 / C136M - 19	3
Chemical	Electrical Insulating Liquids	Furanic Compounds in Electrical Insulating Liquids 5-hydroxymethyl 2-furaldehyde Furfuryl alcohol 2-Furaldehyde 2-acetylfuran 5 methyl furfural	CN-Oil-AD-006 (by HPLC)	3



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Insulating Oils	Acidity of unused and used electrical mineral, non-mineral insulating oils	CN-Oil-AD-005 (by T70 Auto Titrator)	3
Chemical	Oil	Interfacial tension between oil and water	CN-OIL-AD-007 (based on ASTM D971)	3
Chemical	Oil	Dissipation factor	CN-Oil-AD-008 (based on IEC 60247:2004)	3
Chemical	Oil	Resistivity	CN-Oil-AD-008 (based on IEC 60247:2004)	3
Microbiological	Disinfectant	Quantitative Suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas (For temperatures less than 40C)	FB-BIT-AD-003	1
Microbiological	Food	Detection of Campylobacter species and Campylobacter	FB-BIB-AL-049	1
Chemical	Dairy products	Veterinary Drugs in milk- Benzimidazoles, $\beta$ - Lactam, Macrolides, Tetracyclines, Sulfonamides	FB-CHO-AD-042 by LC/MS/MS based on acidic Quechers -like extraction	1
Chemical	FOOD and Beverages	Alcohol	FB-CHO-AD-043	1



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Drinking Water	Total Organic Carbon (TOC)	FB-CHW-AA-009 using TOC Analyzer	2
Chemical	Drinking Water	Volatile Organic Compounds Vinyl Chloride (Chloroethene) Dichloromethane (Methylene chloride) 1,2-Dichloroethene Chloroform 1,2-Dichloroethane Tetrachloromethane (Carbon Tetrachloride) Benzene Trichloroethene Bromodichloromethane (BDCM) Toluene Dibromochloromethane (DBCM) Tetrachloroethene Chlorobenzene Bromoform 1,4-Dichlorobenzene 1,2 Dichlorobenzene	FB-CHW-AL-004 using GC-MS Purge & Trap	2
Chemical	Food and Feed	Fat content	FB-CHO-AA-011 (Direct Soxhlet Extraction)	2
Chemical	Food and Feed	Fat Content	FB-CHO-AA-018 (Acid Hydrolysis)	2



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Chemical	Food	Extraction, Derivatization and Analysis of Fatty Acid Methyl Ester- 44 fatty acids as below: Butanoic C4:0 Hexanoic C6:0 Octanoic C8:0 Caproic C10:0 Undecanoic C11:0 Lauric C12:0 Tridecanoic C13:0 Myristic C14:0 Pentadecanoic C15:0 Palmitic C16:0 Heptadecanoic C17:0 Stearic C18:0 Arachidic C20:0 Heneicosanoic C21:0 Behenic C22:0 Tricosanoic C23:0 Lignoceric C24:0 Myristoleic C14:1 Pentadecenoic C15:1 Palmitoleic C16:1 Heptadecenoic cis C17:1 Oleic cis C18:1	FB-CHO-AA-034	2





# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
		Eicosenoic (Gadoleic) 11-cis C20:1 Erucic C22:1n9 Nervonic C24:1 Linoleic (Omega 6 fatty acid ) cis, cis, C18.2 Linolenic (gama) cis, cis, cis 6,9,12, C18:3 Linolenic (alpha) 18:3 (n-3). cis,cis,cis-9,12,15-, C18:3 Eicosadienoic C20:2n6 Eicosatrienoic C20:3n6 Eicosatrienoic C20:3n3 Arachidonic C20:4n6 Docosadienoic C22:2 Eicosapentaenoic C20:5n3 Docosahexaenoic C22:6n3 Oleic tr C18:1 Linoleic tr, tr, C18:2 Linoleic C18:2 cis, tr, C18:2 Linoleic C18:2 tr, cis, C18.2 Linolenic C18:3 C18:3 ttt Linolenic C18:3 C18:3 ttc + tct Linolenic C18:3 C18:3 ctt + cct Linolenic C18:3 C18:3 ctc Linolenic C18:3 C18:3 tcc		



# Accreditation Scope

**Central Testing Laboratories –  
Abu Dhabi Quality & Conformity Council, NAL 150  
Testing Laboratory (ISO/IEC 17025:2017)  
Al Ain, Abu Dhabi, UAE**

**Issue Date: 22-07-2022**

**Expiry Date: 13-09-2023**

**Issue No.: 03**

**Laboratory's permanent locations:**

**Location (1):** Building 641 Central Testing Laboratories (CTL), Sheikha Fatima bint Mubarak Al Manhal, Abu Dhabi 20045.

**Location (2):** Building 01 Central Testing Laboratories (CTL), Al Tasamuh st, Al Jimi, Al Ain 33303.

**Location (3):** Building 3, Al Fuwalah st, Al Sa'adah, Abu Dhabi 22400.

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (1, 2, 3) / Client-site (S)
Microbiological	Water	Aerobic colony count	FB-BIB-AL-021	2
Microbiological	Food and Food products	Detection of Staphylococcal enterotoxin by enzyme-linked fluorescent immunoassay (ELFA) - VIDAS SET II	FB-BIT-AL-001	2
<b>END</b>				